

# INDEX TO VOLUME 58

## Author Index

- Abdelrahman, A. A., and E. P. Farrell.** Note on use of an electrical conductance moisture meter to study tempering rates in grain sorghum, 307  
\_\_\_\_\_, and \_\_\_\_\_. Grits from grain sorghum dry milled on roller mills, 521
- Akingbala, J. O.** See C. F. Earp, 234
- Alnaji, L. K., and A. M. Kadoum.** Note on the effects of baking on methyl phoxim and malathion residues in bread, 74
- Anderson, R. A.** See R. J. Bothast, 309
- Anderson, Y., B. Hedlund, L. Jonsson, and S. Svensson.** Extrusion cooking of a high-fiber cereal product with crispbread character, 370
- Asp, N.-G.** See W. Frölich, 524
- Bains, G. S.** See A. S. Narang, 92
- Bassim, M.** See M. Roushdi, 110
- Bates, L. S., M. Bender, and W. Jackson.** Eastern gama grass. Seed structure and protein quality, 138
- Bechtle, D. B., and Y. Pomeranz.** Ultrastructure and cytochemistry of mature oat (*Avena sativa* L.) endosperm. The aleurone layer and starchy endosperm, 61  
\_\_\_\_\_. See E. Dikeman, 148
- Bekele, E.** See R. N. Lester, 113
- Békés, F., and R. Lásztity.** Isolation and determination of amino acid sequence of avenothionin, a new purothionin analogue from oat (communication to the editor), 360
- Beleia, A., and E. Varriano-Marston.** Pearl millet amylases. I. Properties of partially purified alpha-amylase, 433  
\_\_\_\_\_, and \_\_\_\_\_. Pearl millet amylases. II. Activity toward intact and heated starch granules, 437
- Bell, B. M., D. G. H. Daniels, and N. Fisher.** Vacuum expansion of mechanically developed doughs at proof temperature: Effect of shortening, 182
- BeMiller, J. N., and G. W. Pratt.** Sorption of water, sodium sulfate, and water-soluble alcohols by starch granules in aqueous suspension, 517
- Bender, M.** See L. S. Bates, 138
- Bertrand, D., J. M. Brillaudet, V. F. Rasper, B. Bouchet, and C. Mercier.** Effects of rat digestion upon native, enzymically or chemically modified wheat brans and native oat bran, 375
- Bhatia, I. S.** See A. S. Narang, 92
- Bhatt, G. M., G. M. Paulsen, K. Kulp, and E. G. Heyne.** Preharvest sprouting in hard winter wheats: Assessment of methods to detect genotypic and nitrogen effects and interactions, 300
- Bietz, J. A.** Amino-terminal amino acid sequence of hordein, 83  
\_\_\_\_\_. See A. Esen, 534
- Biliaderis, C. G., D. R. Grant, and J. R. Vose.** Structural characterization of legume starches. I. Studies on amylose, amylopectin, and beta-limit dextrins, 496  
\_\_\_\_\_, and \_\_\_\_\_. Structural characterization of legume starches. II. Studies on acid-treated starches, 502
- Black, L. T.** See G. E. Hamerstrand, 42
- Blanco, S.** See G. Ellenrieder, 291
- Blokomsma, A. H.** Effect of surface tension in the gas-dough interface on the rheological behavior of dough, 481
- Bock, M. A.** See G. S. Ranhotra, 471
- Boisen, S., and R. Djurtoft.** Trypsin inhibitor from rye endosperm: Purification and properties, 194  
\_\_\_\_\_, and \_\_\_\_\_. Trypsin inhibitor from wheat endosperm: Purification and characterization, 460
- Bolte, L. C.** See K. F. Finney, 355
- Bondoni, A.** See G. Ellenrieder, 291
- Booth, G. D.** See B. S. Miller, 201
- Bothast, R. J., R. A. Anderson, K. Warner, and W. F. Kwolek.** Effects of moisture and temperature on microbiological and sensory properties of wheat flour and corn meal during storage, 309  
\_\_\_\_\_. See J. E. Van Cauwenberge, 293
- Bouchet, B.** See D. Bertrand, 375
- Brillaudet, J. M.** See D. Bertrand, 375
- Brown, R. B., G. N. Fulford, L. Otten, and T. B. Daynard.** Note on the suitability for wet milling of corn exposed to high drying temperatures at different moisture contents, 75
- Bruinsma, B. L., and K. F. Finney.** Functional (bread-making) properties of a new dry yeast, 477
- Bundy, K. T., M. E. Zabik, and J. I. Gray.** Edible beef tallow substitution in white layer cakes, 213
- Cain, R. F.** See K. R. Davis, 116
- Chang, C.-R., and C. C. Tsen.** Characterization and heat stability of trypsin inhibitors from rye, triticale, and wheat samples, 211  
\_\_\_\_\_, and \_\_\_\_\_. Isolation of trypsin inhibitors from rye, triticale, and wheat samples, 207
- Chang, H.-G., and P. Markakis.** Effect of moisture content on aflatoxin production in barley, 89
- Chaudhary, V. K., W. T. Yamazaki, and W. A. Gould.** Relation of cultivar and flour particle size distribution to cake volume, 314
- Chen, P. H.** See C. M. Weaver, 120
- Christianson, D. D., J. E. Hodge, D. Osborne, and R. W. Detroyn.** Gelatinization of wheat starch as modified by xanthan gum, guar gum, and cellulose gum, 513
- Chung, H., P. A. Seib, K. F. Finney, and C. D. Magoffin.** Sucrose monoesters and diesters in breadmaking, 164
- Chung, O. K.** Introduction to symposium, 155  
\_\_\_\_\_, M. D. Shogren, Y. Pomeranz, and K. F. Finney. Defatted and reconstituted wheat flours. VII. The effects of 0–12% shortening (flour basis) in bread making, 69  
\_\_\_\_\_, C. C. Tsen, and R. J. Robinson. Functional properties of surfactants in breadmaking. III. Effects of surfactants and soy flour on lipid binding in breads, 220
- Clements, R. L., and J. R. Donelson.** Functionality of specific flour lipids in cookies, 204  
\_\_\_\_\_, and \_\_\_\_\_. Note on a simple device for monitoring batter expansion in layer cakes during baking, 153
- Connor, M. A., and P. M. Keagy.** Folacin retention and cookie diameter in enriched cookies: Regression analysis using factorial design, 239
- Daniels, D. G. H.** See B. M. Bell, 182
- Danno, G.** Extraction of unreduced glutenin from wheat flour with sodium dodecyl sulfate, 311
- D'Appolonia, B. L., and M. M. Morad.** Bread staling, 186  
\_\_\_\_\_. See L. A. MacArthur, 53  
\_\_\_\_\_. See G. F. Marais, 444, 448
- Da Silva, R. S. F.** See N. Waszczyński, 264
- Davis, K. R.** Proximate composition, phytic acid, and total phosphorus of selected breakfast cereals, 347  
\_\_\_\_\_. Effect of processing on composition and *Tetrahymena* relative nutritive value of green and yellow peas, lentils, and white pea beans, 454  
\_\_\_\_\_, R. F. Cain, L. J. Peters, D. Le Tourneau, and J. McGinnis. Evaluation of the nutrient composition of wheat. II. Proximate analysis, thiamin, riboflavin, niacin, and pyridoxine, 116
- Daynard, T. B.** See R. B. Brown, 75
- Detroyn, R. W.** See D. D. Christianson, 513
- Dexter, J. E., and R. R. Matsuo.** Effect of starchy kernels, immaturity, and shrunken kernels on durum wheat quality, 395
- Dikeman, E., D. B. Bechtle, and Y. Pomeranz.** Distribution of elements in the rice kernel determined by X-ray analysis and atomic absorption spectroscopy, 148  
\_\_\_\_\_. See F. S. Lai, 417
- Dintzis, F. R., and C. C. Harris.** Starch determination in some dietary fiber sources, 467
- Djurtoft, R.** See S. Boisen, 194, 460
- Donelson, J. R.** See R. L. Clements, 153, 204
- Douglas, S.** See B. G. Osborne, 474
- Dyck, P. L.** See F. G. Kosmolak, 246
- Earp, C. F., J. O. Akingbala, S. H. Ring, and L. W. Rooney.** Evaluation of several methods to determine tannins in sorghums with varying kernel characteristics, 234
- Ellenrieder, G., S. Blanco, and A. Bondoni.** Thermal inactivation of trypsin inhibitors in aqueous extracts of soybeans. Studies on substances that accelerate inactivation, 291

- Ellis, R., and E. R. Morris.** Relation between phytic acid and trace metals in wheat bran and soybean, 367  
 ———. See E. R. Morris, 363
- El-Meligi, A.** See M. Roushdi, 110
- El-Minyawi, M. A., and M. E. Zabik.** Cottonseed flour's functionality in Egyptian baladi bread, 413
- El-Samahy, S. K., and C. C. Tsen.** Effects of varying baking temperature and time on the quality and nutritive value of balady bread, 546
- Endo, S., S. Nagao, and K. Tanaka.** Interpretation of Do-Corder curves. Identificateristics, 538  
 ———. See S. Nagao, 384, 388e
- Erdman, J. W., Jr.** Bioavailability of trace minerals from cereals and legumes, 21
- Esen, A., J. A. Beitz, J. W. Paulis, and J. S. Wall.** Fractionation of alcohol-soluble reduced corn glutelins on phosphocellulose and partial characterization of two proline-rich fractions, 534
- Evans, B. D.** See D. M. Wilson, 40
- Faber, S.** See N. Prentice, 77
- Faridi, H. A., P. L. Finney, and G. L. Rubenthaler.** Micro baking evaluation of some U.S. wheat classes for suitability in Iranian breads, 428  
 ———. See G. S. Ranhotra, 471
- Farrell, E. P.** See A. A. Abdelrahman, 307, 521
- Faubion, J. M., and R. C. Hosney.** Lipoxygenase: Its biochemistry and role in breadmaking, 175  
 ———. See R. C. Hosney, 421
- Fearn, T.** See B. G. Osborne, 474
- Feuge, R. O.** See H. J. Zeringue, Jr., 351
- Finney, K. F., O. Natsuaki, L. C. Bolte, P. R. Mathewson, and Y. Pomeranz.** Alpha-amylase in field-sprouted wheats: Its distribution and effect on Japanese-type sponge cake and related physical and chemical tests, 355  
 ———. See H. Chung, 164  
 ———. See O. K. Chung, 69  
 ———. See M. D. Shogren, 142  
 ———. See B. L. Bruinsma, 477
- Finney, P. L.** See H. A. Faridi, 428  
 ———. See G. S. Ranhotra, 471
- Fisher, N.** See B. M. Bell, 182
- Frölich, W., and N.-G. Asp.** Dietary fiber content in cereals in Norway, 524
- Fry, B. E., Jr.** See M. R. Spivey Fox, 6
- Fulcher, R. G., T. P. O'Brien, and S. I. Wong.** Microchemical detection of niacin, aromatic amine, and phytin reserves in cereal bran, 130
- Fulford, G. N.** See R. B. Brown, 75
- Gelroth, J. A.** See G. S. Ranhotra, 127, 471
- Glover, J. D.** See G. E. Hamerstrand, 42
- Gordon, H. T.** See P. M. Ranum, 32
- Gould, W. A.** See V. K. Chaudhary, 314
- Graham, H. D.** See P. J. Loos, 282
- Grant, D. R.** See C. G. Biliaderis, 496, 502  
 ———. See P. R. Patel, 249
- Gray, J. I.** See K. T. Bundy, 213  
 ———. See P. N. Maheshwari, 381
- Hackler, L. R.** Symposium introduction—Impact of foods on trace mineral availability and metabolism, 1
- Hamerstrand, G. E., L. T. Black, and J. D. Glover.** Trypsin inhibitors in soy products: Modification of the standard analytical procedure, 42
- Hamilton, R. P.** See M. R. Spivey Fox, 6
- Harland, B. F.** See M. R. Spivey Fox, 6
- Harras, A.** See M. Roushdi, 110
- Harris, C. C.** See F. R. Dintzis, 467
- Heckley, M. J.** See B. G. Osborne, 474
- Hedlund, B.** See Y. Anderson, 370
- Hesseltine, C. W.** See O. L. Shotwell, 124
- Heyne, E. G.** See G. M. Bhatt, 300  
 ———. See A. J. McCrate, 424
- Hizukuri, S.** See A. Suzuki, 286
- Hodge, J. E.** See D. D. Christianson, 513
- Holme, J.** See D. Paton, 527
- Hood, L. F.** See P. J. Loos, 282
- Hosney, R. C., and J. M. Faubion.** A mechanism for the oxidative gelation of wheat flour water-soluble pentosans, 421  
 ———. See J. M. Faubion, 175  
 ———. See R. C. Junge, 338, 408  
 ———. See U. Tangkongchitr, 226, 229
- Hron, R. J., Sr.** Differential settling test for evaluation of liquid cyclone classification performance, 334
- Hsieh, C. C., C. A. Watson, and C. E. McDonald.** Direct gas chromatographic estimation of saturated sterol esters and acylglycerols in wheat endosperm, 106
- Hughes, J. W.** See B. S. Miller, 201
- Iyengar, R. B., and P. Ravestein.** New aspects of subunit structure of soybean glycinin, 325
- Jackson, W.** See L. S. Bates, 138
- Jacobs, R. M.** See M. R. Spivey Fox, 6
- Janghorbani, M.** See V. R. Young, 12
- Jones, A. O. L.** See M. R. Spivey Fox, 6
- Jonsson, L.** See Y. Anderson, 370
- Junge, R. C., and R. C. Hosney.** A mechanism by which shortening and certain surfactants improve loaf volume in bread, 408  
 ———, ———, and E. Varriano-Marston. Effect of surfactants on air incorporation in dough and the crumb grain of bread, 338
- Kadoom, A. M.** See L. K. Alnaji, 74
- Keagy, P. M.** See M. A. Connor, 239
- Kelsay, J. L.** Effect of diet fiber level on bowel function and trace mineral balance of human subjects, 2
- Kilborn, R. H., S. Nomura, and K. R. Preston.** Sponge-and-dough bread. I. Reduction of fermentation time and bromate requirement by the incorporation of salt in the sponge, 508  
 ———, and K. R. Preston. A dough height tracker and its potential application to the study of dough characteristics, 198  
 ———, and K. H. Tipples. Heat sink reference oven, 295
- Kingswood, K.** See P. K. Skeggs, 256
- Kirleis, A. W., L. E. Sommers, and D. W. Nelson.** Heavy metal content of groats and hulls of oats grown on soil treated with sewage sludges, 530
- Kito, M.** See Y. Nakayama, 260
- Knightly, W. H.** Shortening systems: Fats, oils, and surface-active agents—Present and future, 171
- Kosmolak, F. G., and P. L. Dyck.** Milling and baking qualities of ten spring wheat cultivars from the People's Republic of China, 246
- Krog, N.** Theoretical aspects of surfactants in relation to their use in breadmaking, 158
- Kruger, J. E., and K. H. Tipples.** Modified procedure for use of the Perkin-Elmer model 191 grain amylase analyzer in determining low levels of  $\alpha$ -amylase in wheats and flour, 271
- Kulp, K., and K. Lorenz.** Heat-moisture treatment of starches. I. Physicochemical properties, 46  
 ———. See G. M. Bhatt, 300  
 ———. See K. Lorenz, 49
- Kwolek, W. F.** See R. J. Bothast, 309
- Labaneiah, M. E. O., and B. S. Luh.** Changes of starch, crude fiber, and oligosaccharides in germinating dry beans, 135
- Lai, F. S., Y. Pomeranz, C. R. Martin, E. Dikeman, and B. S. Miller.** Mineral components of grain dust, 417
- Lamkin, W. M., B. S. Miller, S. W. Nelson, D. D. Traylor, and M. S. Lee.** Polyphenol oxidase activities of hard red winter, soft red winter, hard red spring, white common, club, and durum wheat cultivars, 27
- Laroque, G. M.** See D. Paton, 527
- Lásztity, R.** See F. Békés, 360
- Lee, C.** See G. S. Ranhotra, 127
- Lee, M. S.** See W. M. Lamkin, 27
- Lester, R. N., and E. Bekele.** Amino acid composition of the cereal tef and related species of *Eragrostis* (Gramineae), 113
- Le Tourneau, D.** See K. R. Davis, 116
- Loewe, R. J.** See P. M. Ranum, 32
- Loos, P. J., L. F. Hood, and H. D. Graham.** Isolation and characterization of starch from breadfruit, 282
- Lorenz, K., and K. Kulp.** Heat-moisture treatment of starches. II. Functional properties and baking potential, 49  
 ———, and M. Wolt. Effect of altitude on falling number values of flours, 80  
 ———. See K. Kulp, 46
- Luh, B. S.** See M. E. O. Labaneiah, 135
- MacArthur, L. A., and B. L. D'Appolonia.** Effects of microwave radiation and storage on hard red spring wheat flour, 53
- MacRitchie, F.** Flour lipids: Theoretical aspects and functional properties, 156
- Magoffin, C. D.** See H. Chung, 164
- Maheshwari, P. N., D. W. Stanley, F. R. Van de Voort, and J. I. Gray.** Effect of microwave treatment on the microstructure of dehulled rapeseed, 381

- Marais, G. F., and B. L. D'Appolonia.** Factors contributing to baking quality differences in hard red spring wheat. I. Bases for different loaf volume potentials, 444
- \_\_\_\_\_, and \_\_\_\_\_. Factors contributing to baking quality differences in hard red spring wheat. II. Bases for different mixing properties, 448
- Markakis, P.** See H.-G. Chang, 89
- Marti, L. R.** See D. M. Wilson, 40
- Martin, C. R.** See F. S. Lai, 417
- Mathewson, P. R.** See K. F. Finney, 355
- Matsumoto, H.** See T. Mita, 57
- Matsuо, R. R.** See J. E. Dexter, 395
- Matthews, J., J. I. Wadsworth, and J. J. Spadaro.** Chemical composition of Starbonnet variety rice fractionated by rough-rice kernel thickness, 331
- McCrate, A. J., M. T. Nielsen, G. M. Paulsen, and E. G. Heyne.** Preharvest sprouting and  $\alpha$ -amylase activity in hard red and hard white winter wheat cultivars, 424
- McDonald, C. E.** See C. C. Hsieh, 106
- McGinnis, J.** See K. R. Davis, 116
- Mercier, C.** See D. Bertrand, 375
- Mifflin, B. J.** See C. M. Wilson, 275
- Miller, B. S., J. W. Hughes, R. Rousser, and G. D. Booth.** Effects of modifications of a model CK2 Stein breakage tester on corn breakage susceptibility, 201
- \_\_\_\_\_. See F. S. Lai, 417
- Minami, J.** See M. Terada, 101
- Mita, T., and H. Matsumoto.** Flow properties of aqueous gluten and gluten methyl ester dispersion, 57
- Moorhouse, C.** See B. G. Osborne, 474
- Morad, M. M.** See B. L. D'Appolonia, 186
- Morris, E. R., and R. Ellis.** Phytate-zinc molar ratio of breakfast cereals and bioavailability of zinc to rats, 363
- \_\_\_\_\_. See R. Ellis, 367
- Nagao, S., S. Endo, K. Takeya, and K. Tanaka.** The Do-Corder as a possible tool to evaluate the bread-making properties of a dough, 384
- \_\_\_\_\_, and K. Tanaka. Effect of fermentation on the Do-Corder and bread-making properties of a dough, 388
- \_\_\_\_\_. See S. Endo, 538
- Nakayama, Y., K. Saio, and M. Kito.** Decomposition of phospholipids in soybeans during storage, 260
- Narang, A. S., G. S. Bains, and I. S. Bhatia.** Physical and hydrodynamic studies on salt-soluble proteins of mungbean, 92
- Natsuaki, O.** See K. F. Finney, 355
- Nelson, D. W.** See A. W. Kirleis, 530
- Nelson, S. O.** Review of factors influencing the dielectric properties of cereal grains, 487
- Nelson, S. W.** See W. M. Lamkin, 27
- Newman, C. W.** See N. J. L. Roth, 245
- Nielsen, M. T.** See a. J. McCrate, 424
- Nomura, S.** See R. H. Kilborn, 508
- O'Brien, T. P.** See R. G. Fulcher, 130
- Oomah, B. D., R. D. Reichert, and C. G. Youngs.** A novel, multi-sample, tangential abrasive dehulling device (TADD), 392
- \_\_\_\_\_, and \_\_\_\_\_. Quantitative comparison between Carborundum stones and resinoid disks in dehulling cereal grains, 492
- Osborne, B. G., S. Douglas, T. Fearn, C. Moorhouse, and M. J. Heckley.** Collaborative evaluation of a rapid nephelometric method for the measurement of alpha-amylase in flour, 474
- Osborne, D.** See D. D. Christianson, 513
- Otten, L.** See R. B. Brown, 75
- Patel, P. R., C. G. Youngs, and D. R. Grant.** Preparation and properties of spray-dried pea protein concentrate-cheese whey blends, 249
- Paton, D.** Behavior of Hinoat oat starch in sucrose, salt, and acid solutions, 35
- \_\_\_\_\_, G. M. Larocque, and J. Holme. Development of cake structure: Influence of ingredients on the measurement of cohesive force during baking, 527
- \_\_\_\_\_, and W. A. Spratt. Simulated approach to the estimation of degree of cooking of an extruded cereal product, 216
- Paulis, J. W.** Disulfide structure of zein proteins from corn endosperm, 542
- \_\_\_\_\_. See A. Esen, 534
- Paulsen, G. M.** See G. M. Bhatt, 300
- \_\_\_\_\_. See A. J. McCrate, 424
- Peters, L. J.** See K. R. Davis, 116
- Pomeranz, Y.** Wrap-up of symposium on theory and application of lipid-related materials in breadmaking: Today and tomorrow (not
- yesterday), 190
- \_\_\_\_\_. See D. B. Bechtel, 61
- \_\_\_\_\_. See O. K. Chung, 69
- \_\_\_\_\_. See E. Dikeman, 148
- \_\_\_\_\_. See K. F. Finney, 355
- \_\_\_\_\_. See F. S. Lai, 417
- \_\_\_\_\_. See M. D. Shogren, 142
- Ponte, J. G., Jr.** See S. K. Sathe, 97
- Pratt, G. W.** See J. N. BeMiller, 517
- Prentice, N., and S. Faber.** Beta-D-glucan in developing and germinating barley kernels, 77
- Preston, K. R.** Effects of neutral salts upon wheat gluten protein properties. I. Relationship between the hydrophobic properties of gluten proteins and their extractability and turbidity in neutral salts, 317
- \_\_\_\_\_. See R. H. Kilborn, 198, 508
- Qualset, C. O.** See G. Shariff, 86
- Rakowska, M.** See M. R. Spivey Fox, 6
- Rangnekar, P. D.** See S. K. Sathe, 97
- Ranhotra, G. S., J. A. Gelroth, F. A. Torrence, M. A. Bock, G. L. Winterringer, H. A. Faridi, and P. L. Finney.** Iranian flat breads: Relative bioavailability of iron, 471
- \_\_\_\_\_, C. Lee, J. A. Gelroth, G. L. Winterringer, and F. A. Torrence. Bioavailability of iron, magnesium, zinc, and calcium in commercially produced citrate phosphate complexes, 127
- Ranum, P. M., R. J. Loewe, and H. T. Gordon.** Effect of bleaching, maturing, and oxidizing agents on vitamins added to wheat flour, 32
- Rao, C. S.** See N. Waszczyński, 264
- Rasper, V. F.** See D. Bertrand, 375
- Ravestein, P.** See R. B. Iyengar, 325
- Reichert, R. D.** Quantitative isolation and estimation of cell wall material from dehulled pea (*Pisum sativum*) flours and concentrates, 266
- Reichert, R. D.** See B. D. Oomah, 392, 492
- Ring, S. H.** See C. F. Earp, 234
- Ritchey, S. J.** Interrelationships among protein, zinc, and copper in human nutrition, 18
- Robinson, R. J.** See O. K. Chung, 220
- Rooney, L. W.** See C. F. Earp, 234
- Roth, N. J. L., G. H. Watts, and C. W. Newman.** Beta-glucanase as an aid in measuring neutral detergent fiber in barley kernels, 245
- Roushdi, M., A. Harras, A. El-Meligui, and M. Bassim.** Effect of high doses of gamma rays on corn grains. I. Influence on the chemical composition of whole grains and the technological process of starch and by-product isolation, 110
- Rousser, R.** See B. S. Miller, 201
- Rubenthaler, G. L.**, See H. A. Faridi, 428
- Rynearson, S. L.** See C. M. Weaver, 120
- Saio, K.** See Y. Nakayama, 260
- Salunkhe, D. K.** See S. K. Sathe, 97
- Sathe, S. K., J. G. Ponte, Jr., P. D. Rangnekar, and D. K. Salunkhe.** Effects of addition of Great Northern bean flour and protein concentrates of rheological properties of dough and baking quality of bread, 97
- Seib, P. A.** See H. Chung, 164
- \_\_\_\_\_. See U. Tangkongchitr, 226, 229
- Sexson, K. R.** See Y. V. Wu, 343
- Shariff, G., P. Vohra, and C. O. Qualset.** Further studies on the nutritional evaluation of wheat, triticale, and rice grains using the red flour beetle, 86
- Shepherd, A. D.** Note on how a typical sorghum peels, 303
- \_\_\_\_\_. Laboratory abrasive decorticating mill—Influence of machine and operating variables, 463
- Shewry, P. R.** See C. M. Wilson, 275
- Shogren, M. D., Y. Pomeranz, and K. F. Finney.** Counteracting the deleterious effects of fiber in breadmaking, 142
- \_\_\_\_\_. See O. K. Chung, 69
- Shotwell, O. L., and C. W. Hesseltine.** Use of bright greenish yellow fluorescence as a presumptive test for aflatoxin in corn, 124
- Singh, B.** See H. J. Zeringue, Jr., 351
- Skeggs, P. K., and K. Kingswood.** Mechanical dough development—pilot scale studies, 256
- Sommers, L. E.** See A. W. Kirleis, 530
- Sosulski, F. W.** See R. T. Tyler, 144
- Spadaro, J. J.** See J. Matthews, 331
- Spivey Fox, M. R., R. M. Jacobs, A. O. L. Jones, B. E. Fry, Jr., M. Rakowska, R. P. Hamilton, B. F. Harland, C. L. Stone, and S.-H. Tao.** Animal models for assessing bioavailability of essential and toxic elements, 6
- Spratt, W. A.** See D. Paton, 216
- Stanley, D. W.** See P. N. Maheshwari, 381

- Stone, C. L.** See M. R. Spivey Fox, 6
- Suzuki, A., S. Hizukuri, and Y. Takeda.** Physicochemical studies of kuzu starch, 286
- Svensson, S.** See Y. Anderson, 370
- Takeda, Y.** See A. Suzuki, 286
- Takeya, K.** See S. Nagao, 384
- Tanaka, K.** See S. Nagao, 384, 388  
\_\_\_\_\_. See S. Endo, 538
- Tangkongchitr, U., P. A. Seib, and R. C. Hoseney.** Phytic acid. I. Determination of three forms of phosphorus in flour, dough, and bread, 226  
\_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_. Phytic acid. II. Its fate during breadmaking, 229
- Tao, S.-H.** See M. R. Spivey Fox, 6
- Terada, M., J. Minami, and T. Yamamoto.** Rheological properties of dough made from flour exposed to gaseous ammonia, 101
- Tipples, K. H.** See R. H. Kilborn, 295  
\_\_\_\_\_. See J. E. Kruger, 271
- Torrence, F. A.** See G. S. Ranhotra, 127, 471
- Traylor, D. D.** See W. M. Lamkin, 27
- Tsen, C. C., and J. Weber.** Dough properties and proof times of yeasted doughs affected by surfactants, 180  
\_\_\_\_\_. See C.-R. Chang, 207, 211  
\_\_\_\_\_. See O. K. Chung, 220  
\_\_\_\_\_. See S. K. El-Samahy, 546
- Tyler, R. T., C. G. Youngs, and F. W. Sosulski.** Air classification of legumes. I. Separation efficiency, yield, and composition of the starch and protein fractions, 144
- Van Cauwenberge, J. E., R. J. Bothast, and D. C. Young.** Comparison of controlled-release ammonia solutions and aqueous ammonia for preserving high-moisture maize, 293
- Van de Voort, F. R.** See P. N. Maheshwari, 381
- Varriano-Marston, E.** See A. Beleia, 433, 437  
\_\_\_\_\_. See R. C. Junge, 338
- Vohra, P.** See G. Shariff, 86
- Volpe, T. A., and M. E. Zabik.** Single-cell protein substitution in a bread system: Rheological properties and product quality, 441
- Vose, J. R.** See C. G. Biliaderis, 496, 502
- Wadsworth, J. I.** See J. Matthews, 331
- Wall, J. S.** See A. Esen, 534  
\_\_\_\_\_. See Y. V. Wu, 343
- Warner, K.** See R. J. Bothast, 309
- Waszczyński, N., C. S. Rao, and R. S. F. Da Silva.** Extraction of proteins from wheat bran: Application of carbohydrases, 264
- Watson, C. A.** See C. C. Hsieh, 106
- Watts, G. H.** See N. J. L. Roth, 245
- Weaver, C. M., P. H. Chen, and S. L. Rynearson.** Effect of milling on trace element and protein content of oats and barley, 120
- Weber, J.** See C. C. Tsen, 180
- Widstrom, N. W.** See D. M. Wilson, 40
- Wilson, C. M.** Variations in soluble endosperm proteins of corn (*Zea mays* L.) inbreds as detected by disc gel electrophoresis, 401  
\_\_\_\_\_. P. R. Shewry, and B. J. Mifflin. Maize endosperm proteins compared by sodium dodecyl sulfate gel electrophoresis and isoelectric focusing, 275
- Wilson, D. M., N. W. Widstrom, L. R. Marti, and B. D. Evans.** *Aspergillus flavus* group, aflatoxin, and bright greenish yellow fluorescence in insect-damaged corn in Georgia, 40
- Winteringer, G. L.** See G. S. Ranhotra, 127, 471
- Wolt, M.** See K. Lorenz, 80
- Wong, S. I.** See R. G. Fulcher, 130
- Wu, Y. V., K. R. Sexson, and J. S. Wall.** Protein-rich residue from corn alcohol distillation: Fractionation and characterization, 343
- Yamamoto, T.** See M. Terada, 101
- Yamazaki, W. T.** See V. K. Chaudhary, 314
- Young, D. C.** See J. E. Van Cauwenberge, 293
- Young, V. R., and M. Janghorbani.** Soy proteins in human diets in relation to bioavailability of iron and zinc: A brief overview, 12
- Youngs, C. G.** See B. D. Oomah, 392, 492  
\_\_\_\_\_. See P. R. Patel, 249  
\_\_\_\_\_. See R. T. Tyler, 144
- Zabik, M. E.** See K. T. Bundy, 213  
\_\_\_\_\_. See M. A. El-Minyawi, 413  
\_\_\_\_\_. See T. A. Volpe, 441
- Zeringue, H. J., Jr., B. Singh, and R. O. Feuge.** Triticale lipids: Composition and bread-making characteristics of triticale flours, 351