

INDEX TO VOLUME 59

Author Index

- Abdul-Hussain, S., and E. Varriano-Marston. Amylolysis of pearl millet starch and its fractions by pearl millet alpha-amylase, 351
- Aguilera, J. M. *See C. DeFouw*, 229, 245
- Aldis, D. F. *See L. M. Seitz*, 9
- Altosaar, I. *See G. J. Matlashedewski*, 418
- Anderson, R. A. Water absorption and solubility and amylograph characteristics of roll-cooked small grain products, 265
_____. *See S. R. Eckhoff*, 289
- Andrews, L. C. *See W. T. Yamazaki*, 41, 270
- Baiyan, I. C. *See J. D. Schofield*, 240
- Bains, G. S. *See K. Swaranjeet*, 367
- Baker, K. *See R. A. Perez*, 205
- Bakhoun, M. T., and J. G. Ponte, Jr. Combined effects of sodium chloride and hydrochloric acid on wheat flour strength, 37
- Baten, M. A. *See M. R. Molina*, 34
- Bates, L. S. *See R. Peña*, 454, 459
- Bean, M. M. *See K. D. Nishita*, 46
- Bechtel, D. B., R. L. Gaines, and Y. Pomeranz. Protein secretion in wheat endosperm—formation of the matrix protein, 336
_____. *See B. Fretzendorff*, 113
- Beguin, D. *See P. L. Finney*, 520
- Betschart, A. A. *See S. T. Omaye*, 440
- Bhatty, R. S. Distribution of lipids in embryo and bran-endosperm fractions of Riso 1508 and Hiprolly barley grains, 154
- Birth, G. S., and H. H. Ramey, Jr. Near-infrared reflectance for analysis of cottonseed for gossypol, 516
- Biston, R., and G. Clamot. Use of near-infrared reflectance spectroscopy and dye-binding techniques for estimating protein in oat groats, 333
- Black, H. C. *See R. H. Kilborn*, 284
- Black, L. T. *See S. R. Eckhoff*, 289
- Bock, M. A. *See G. S. Ranhotra*, 493
- Bohnsack, K. *See T. P. Labuza*, 142
- Bookwalter, G. N. *See K. Warner*, 175
- Booth, G. D. *See P. R. Mathewson*, 108
- Boulet, M. *See J. Gaucher-Chouette*, 435
- Bradbury, J. H., and J. G. Collins. Lipids of the major histological components of rice studied by ^{13}C nuclear magnetic resonance spectroscopy, 159
- Brassard, R. *See R. Mongeau*, 413
- Bressani, R. *See M. R. Molina*, 34
- Bruinsma, B. L., and K. F. Finney. A gas production formula containing guar or xanthan gum in place of wheat flour, 402
_____. *See K. F. Finney*, 385
- Cagampang, G. B., J. E. Griffith, and A. W. Kirleis. Modified adhesion test for measuring stickiness of sorghum porridges, 234
- Chikubu, S. *See T. Iwasaki*, 192
- Chow, F. I. *See S. T. Omaye*, 440
- Chung, O. K., and B. L. D'Appolonia. Characterization and gelling capacity of water-soluble pentosans isolated from different mill streams, 163
_____, and _____. Characterization of pentosans from different wheat flour classes and of their gelling capacity, 96
_____, and _____. Reconstitution studies with sound and sprouted wheat flour, 77
_____, Y. Pomeranz, and K. F. Finney. Relation of polar lipid content to mixing requirement and loaf volume potential of hard red winter wheat flour, 14
_____. *See B. L. D'Appolonia*, 254
_____. *See K. F. Finney*, 385
- Clamot, G. *See R. Biston*, 333
- Clements, R. L., and J. R. Donelson. Role of free flour lipids in batter expansion in layer cakes. I. Effects of "aging," 121
_____, and _____. Role of free flour lipids in batter expansion in layer cakes. II. Effects of heating, 125
- Cluskey, J. E. *See C. A. Knutson*, 512
- Collins, J. G. *See J. H. Bradbury*, 159
- Colman, N. Communication to the editor, 236
- Cornforth, D. *See S. S. Deshpande*, 396
- Daniel, J. R., and R. L. Whistler. Sweetness-structure correlation in carbohydrates, 92
- Danno, G., and R. C. Hoseney. Changes in flour proteins during dough mixing, 249
_____, and _____. Effects of sodium chloride and sodium dodecyl sulfate on mixograph properties, 202
_____, and _____. Effects of dough mixing and rheologically active compounds on relative viscosity of wheat proteins, 196
- D'Appolonia, B. L., L. A. MacArthur, W. Pisesookbuntern, and C. F. Ciacco. Comparison of the grain amylase analyzer with the amylograph and falling number methods, 254
_____. *See C. F. Ciacco*, 77, 96, 163
_____. *See A. R. Wyland*, 199
- DeFouw, C., M. E. Zabik, M. A. Uebersax, J. M. Aguilera, and E. Lusas. Effects of heat treatment and level of navy bean hulls in sugar-snap cookies, 245
_____, and _____. Use of unheated and heat-treated Navy hulls as a source of dietary fiber in spice-flavored layer cakes, 229
- De Francisco, A., A. D. Shepherd, R. C. Hoseney, and E. Varriano-Marston. Decorticating pearl millet and grain sorghum in a laboratory abrasive mill, 1
- _____, E. Varriano-Marston, and R. C. Hoseney. Hardness of pearl millet and grain sorghum, 5
- Deshpande, S. S., S. K. Sathe, D. Cornforth, and D. K. Salunkhe. Effects of dehulling on functional properties of dry bean (*Phaseolus vulgaris* L.) flours, 396
- Des Rosiers, M. C. *See M. N. Khan*, 279
- Dexter, J. E., and R. R. Matsuo. Effect of smudge and blackpoint, mildewed kernels, and ergot on durum wheat quality, 63
_____, and B. C. Morgan. Effects of processing conditions and cooking time on riboflavin, thiamine, and niacin levels in enriched spaghetti, 328
_____. *See R. H. Kilborn*, 284
_____. *See R. R. Matsuo*, 222, 468
- Dikeman, E., Y. Pomeranz, and F. S. Lai. Minerals and protein contents in hard red winter wheat, 139
- Doekes, G. J., and L. M. J. Wennekes. Effect of nitrogen fertilization on quantity and composition of wheat flour protein, 276
- Doherty, C. A., J. M. Faubion, and L. W. Rooney. Semiautomated determination of phytate in sorghum and sorghum products, 373
_____. *See D. H. Hahn*, 132
- Donelson, J. R. *See R. L. Clements*, 121, 125
_____. *See C. S. Gaines*, 237, 378
- Donnelly, B. J. *See M. M. Tabekhia*, 105
- Dreese, P. C., and R. C. Hoseney. Baking properties of the bran fraction from brewer's spent grains, 89
- Dryer, S. B., S. G. Phillips, T. S. Powell, M. A. Uebersax, and M. E. Zabik. Dry roasted navy bean flour incorporation in a quick bread, 319
- Dunaway, J. A. *See E. Varriano-Marston*, 151
- Eckhoff, S. R., L. T. Black, and R. A. Anderson. Predicting the moisture isotherm for corn-soy milk from individual component moisture isotherms and their possible effects on storage stability, 289
- Ellis, R., and E. R. Morris. Comparison of ion-exchange and iron precipitation methods for analysis of phytate, 232
- Erdman, J. W., Jr. *See D. B. Thompson*, 525
- Esen, A. Chromatography of zein on phosphocellulose and sulfopropyl sephadex, 272
- Fahrenholz, C. H. *See P. R. Mathewson*, 108, 156
- Faridi, H. A. *See G. L. Rubenthaler*, 72
- Faubion, J. M., and R. C. Hoseney. High-temperature short-time extrusion cooking of wheat starch and flour. I. Effect of moisture and flour type on extrudate properties, 529
_____, and _____. High-temperature short-time extrusion cooking of wheat starch and flour. II. Effect of protein and lipid on extrudate properties, 533
_____. *See C. Doherty*, 373

- . See D. H. Hahn, 132
- Fields, M. L., R. C. Hoseney, and E. Varriano-Marston. Microbiology of cracker sponge fermentation, 23
- Finn, J. W. See G. Huang, 496, 500
- Finney, K. F., O. K. Chung, B. L. Bruinsma, and M. D. Shogren. Effect of type and amount of mixing and quantity of water on inhibitors of yeast activity in wheat flour doughs and slurries, 385
- , B. L. Jones, and M. D. Shogren. Functional (bread-making) properties of wheat protein fractions obtained by ultracentrifugation, 449
- . See B. L. Bruinsma, 402
- . See O. K. Chung, 14
- . See B. L. Jones, 181
- . See G. L. Lookhart, 69, 178
- Finney, P. L., D. Beguin, and J. D. Hubbard. Effects of germination on bread-baking properties of mung bean (*Phaseolus aureus*) and garbanzo bean (*Cicer arietinum*), 520
- . See D. L. Hsu, 344
- Fretzdorff, B., D. B. Bechtel, and Y. Pomeranz. Freeze-fracture ultrastructure of wheat flour ingredients, dough, and bread, 113
- Gaines, C. S. Influence of dough absorption level and time on stickiness and consistency in sugar-snap cookie doughs, 404
- . Technique for objectively measuring a relationship between flour chlorination and cake crumb stickiness, 149
- , and J. R. Donelson. Cake batter viscosity and expansion upon heating, 237
- , and . Contribution of chlorinated flour fractions to cake crumb stickiness, 378
- , and W. F. Kwolek. The influence of ambient temperature, humidity, and flour moisture content on stickiness and consistency in sugar-snap cookie doughs, 507
- Gaines, R. L. See D. B. Bechtel, 336
- Gaucher-Chouette, J., and M. Boulet. Effect of alkali treatment on viscosity and on the sulphydryl and disulfide content of proteins, 435
- Gelroth, J. A. See G. S. Ranhotra, 493
- Ghiasi, K., R. C. Hoseney, and E. Varriano-Marston. Gelatinization of wheat starch. I. Excess-water systems, 81
- , and . Gelatinization of wheat starch. III. Comparison by differential scanning calorimetry and light microscopy, 258
- , E. Varriano-Marston, and R. C. Hoseney. Gelatinization of wheat starch. II. Starch-surfactant interaction, 86
- , and . Gelatinization of wheat starch. IV. Amylograph viscosity, 262
- Godon, B. See Y. Popineau, 55
- Griffith, J. E. See G. B. Cagampang, 234
- Grobe, C. A. See J. A. Rendleman, 310
- Gudiel, H. See M. R. Molina, 34
- Hagler, W. M. See W. E. Huff, 152
- Hahn, D. H., J. M. Faubion, S. H. Ring, C. A. Doherty, and L. W. Rooney. Semiautomated in vitro analysis of sorghum protein availability via pronase hydrolysis, 132
- Hall, S. B. See B. L. Jones, 181
- . See G. L. Lookhart, 69, 178
- Hamada, A. S., C. E. McDonald, and L. D. Sibbitt. Relationship of protein fractions of spring wheat flour to baking quality, 296
- Hockridge, E. See K. Warner, 175
- Honig, D. H. See K. Warner, 175
- Hoseney, R. C. See G. Danno, 196, 202, 249
- . See A. De Francisco, 1, 5
- . See P. C. Dreese, 89
- . See J. M. Faubion, 529, 533
- . See M. L. Fields, 23
- . See K. Ghiasi, 81, 86, 258, 262
- . See C. C. Lee, 389, 392
- . See D. W. Lillard, 291
- . See R. D. Spies, 128
- . See U. Tangkongchitr, 216
- . See E. Varriano-Marston, 151
- Howes, N. K., and F. G. Kosmolak. Purification and characterization of a specific gliadin component from the wheat cultivar Marquis, 485
- Hsu, D. L., H. K. Leung, M. M. Morad, P. L. Finney, and C. T. Leung. Effect of germination on electrophoretic, functional, and bread-baking properties of yellow pea, lentil, and faba bean protein isolates, 344
- Huang, G., J. W. Finn, and E. Varriano-Marston. Flour chlorination. I. Chlorine location and quantitation in air-classified fractions and physicochemical effects on starch, 496
- , , , and . Flour chlorination. II.
- Effects on water binding, 500
- Hubbard, J. D., F. S. Lai, C. R. Martin, B. S. Miller, and Y. Pomeranz. Amino acid composition of grain dusts, 20
- . See P. L. Finney, 520
- Huff, W. E., and W. M. Hagler. Evaluation of density segregation as a means to estimate the degree of aflatoxin contamination of corn, 152
- Hulan, H. W. See C. G. Zarkadas, 323
- Inglett, G. E. See C. A. Knutson, 512
- Iwasaki, T., N. Shibuya, T. Suzuki, and S. Chikubo. Gel filtration and electrophoresis of soluble rice proteins extracted from long, medium, and short grain varieties, 192
- Jensen, S. A., L. Munck, and H. Martens. The botanical constituents of wheat and wheat milling fractions. I. Quantification by autofluorescence, 477
- Jones, B. L., G. L. Lookhart, S. B. Hall, and K. F. Finney. Identification of wheat cultivars by gliadin electrophoresis: Electrophoregrams of the 88 wheat cultivars most commonly grown in the United States in 1979, 181
- , and P. Meredith. Communication to the editor: Inactivation of alpha-amylase activity by purothionins, 321
- . See K. F. Finney, 449
- . See G. L. Lookhart, 178
- Khan, M. N., M. C. Des Rosiers, L. W. Rooney, R. G. Morgan, and V. E. Sweat. Corn tortillas: Evaluation of corn cooking procedures, 279
- Khoo, U. See C. A. Knutson, 512
- Kilborn, R. H., H. C. Black, J. E. Dexter, and D. G. Martin. Energy consumption during flour milling: Description of two measuring systems and the influence of wheat hardness on energy requirements, 284
- , and K. R. Preston. A dough sheeting and molding property indicator, 171
- , and . A modified extensigraph procedure for measuring the stretching properties of fermented dough, 381
- Kim, M. N. See T. P. Labuza, 142
- Kirleis, A. W. See G. B. Cagampang, 234
- Kito, M. See K. Saio, 408
- Knutson, C. A., U. Khoo, J. E. Cluskey, and G. E. Inglett. Variation in enzyme digestibility and gelatinization behavior of corn starch granule fractions, 512
- Kobayakawa, K. See K. Saio, 408
- Kosmolak, F. G. See N. K. Howes, 485
- . See R. R. Matsuo, 222
- Kruger, J. E., and B. A. Marchylo. High-performance aqueous gel permeation chromatographic analysis of beta-limit dextrin hydrolysis by malted hard red spring wheat, malted durum wheat, and fungal (*Aspergillus oryzae*) alpha-amylases, 488
- , and R. R. Matsuo. Comparison of alpha-amylase and simple sugar levels in sound and germinated durum wheat during pasta processing and spaghetti cooking, 26
- Kwolek, W. F. See C. S. Gaines, 507
- . See K. Warner, 175
- Labuza, T. P., K. Bohnsack, and M. N. Kim. Kinetics of protein quality change in egg noodles stored under constant and fluctuating temperatures, 142
- Lai, F. S., and B. S. Miller. An inexpensive method for treating grain dust to prevent fine particles from becoming airborne during handling, 444
- . See E. Dikeman, 139
- . See J. D. Hubbard, 20
- Lee, C. C., and R. C. Hoseney. Optimization of the fat-emulsified system and the gum-egg white-water system for a laboratory-scale single-stage cake mix, 392
- , , , and E. Varriano-Marston. Development of a laboratory scale single-stage cake mix, 389
- Leisle, D. See R. R. Matsuo, 222
- Leung, C. T. See D. L. Hsu, 344
- Leung, H. K. See D. L. Hsu, 344
- Lillard, D. W., P. A. Seib, and R. C. Hoseney. Isomeric ascorbic acids and derivatives of L-ascorbic acid: Their effect on the flow of dough, 291
- Lillihoj, E. B., A. Manwiller, T. B. Whitaker, and M. S. Zuber. South Carolina corn yield trial samples as probes for the natural occurrence of aflatoxin in preharvest kernels, 136
- Lölliger, J. See A. Raemy, 189
- Lookhart, G. L., S. B. Hall, and K. F. Finney. Determination of ascorbic acid in wheat flours, bread dough conditioners, and commercial vitamin C tablets by high-performance liquid chromatography, 69
- , B. L. Jones, S. B. Hall, and K. F. Finney. An improved method for standardizing polyacrylamide gel electrophoresis of wheat gliadin proteins, 179

- . *See* B. L. Jones, 181
 Lusas, E. *See* C. DeFouw, 229, 245
- MacArthur, L. A. *See* B. L. D'Appolonia, 254
- MacGregor, A. W., and R. R. Matsuo. Starch degradation in endosperms of barley and wheat kernels during initial stages of germination, 210
 . *See* R. R. Matsuo, 468
- Maninder, K. *See* K. Swaranjeet, 367
- Manwiller, A. *See* E. B. Lillihoj, 136
- Marchylo, B. A. *See* J. E. Kruger, 488
- Martens, H. *See* S. A. Jensen, 477
- Martin, C. R. *See* J. D. Hubbard, 20
- Martin, D. G. *See* R. H. Kilborn, 284
- Mathewson, P. R., C. H. Fahrenholz, G. D. Booth, Y. Pomeranz, and B. S. Miller. Results of collaborative testing using a simplified, rapid colorimeter, alpha-amylase assay for evaluation of sprouted wheat, 108
 and Y. Pomeranz. Applicability of the colorimetric alpha-amylase assay to evaluate sprouted sorghum, 156
- Matlashewski, G. J., A. A. Urquhart, M. R. Sahasrabudhe, and I. Altosaar. Lipase activity in oat flour suspensions and soluble extracts, 418
- Matsuo, R. R., J. E. Dexter, F. G. Kosmolak, and D. Leisle. Statistical evaluation of tests for assessing spaghetti-making quality of durum wheat, 222
 and A. W. MacGregor. Effect of sprout damage on durum wheat and spaghetti quality, 468
 . *See* J. E. Dexter, 63, 328
 *See* J. E. Kruger, 26
 *See* A. W. MacGregor, 210
- Matthews, J. *See* J. I. Wadsworth, 50
- McDonald, C. E. *See* A. S. Hamada, 296
- McGuire, C. F. Near-infrared reflectance estimates of malt extract, 510
- Meredith, P., and Y. Pomeranz. Inherent amylograph pasting ability of U.S. wheat flours and starches, 355
 *See* B. L. Jones, 321
- Miller, B. S. *See* J. D. Hubbard, 20
 *See* F. S. Lai, 444
 *See* P. R. Mathewson, 108
- Mod, R. R., R. L. Ory, N. M. Morris, and F. L. Normand. In vitro interaction of rice hemicellulose with trace minerals and their release by digestive enzymes, 538
- Mohr, H. E. *See* L. M. Seitz, 9, 100
- Molina, M. R., H. Gudiel, M. A. Baten, and R. Bressani. Production of high-moisture quality pasta products using a semolina/corn/soy flour mixture. III. Effect of cooking on the protein nutritive value of pasta, 34
- Mongeau, R., and R. Brassard. Insoluble dietary fiber from breakfast cereals and brans: Bile salt binding and water-holding capacity in relation to particle size, 413
- Morad, M. M. *See* D. L. Hsu, 344
- Morgan, B. C. *See* J. E. Dexter, 328
- Morgan, R. G. *See* M. N. Khan, 279
- Morris, E. R. *See* R. Ellis, 232
- Morris, N. M. *See* R. R. Mod, 538
- Munck, L. *See* S. A. Jensen, 477
- Nishita, K. D., and M. M. Bean. Grinding methods: Their impact on rice flour properties, 46
- Normand, F. L. *See* R. R. Mod, 538
- Norris, K. H. *See* P. C. Williams, 473
- Novak, F. A. *See* G. S. Ranhotra, 493
- Omaye, S. T., F. I. Chow, and A. A. Betschart. In vitro interaction of ^{1-14}C -ascorbic acid and $2-14\text{C}$ -thiamin with dietary fiber, 440
- Ory, R. L. *See* R. R. Mod, 538
- Owusu-Ansah, J., F. R. Van de Voort, and D. W. Stanley. Determination of starch gelatinization by X-ray diffractometry, 167
- Padua, G. W., and R. McL. Whitney. Application of the Instron Tester for investigation of rheology of corn dough, 361
- Panchuk, P. D. *See* R. T. Tyler, 31
- Parvathy, K., and S. Sadasivam. Comparison of amylase activity and carbohydrate profile in germinating seeds of *Setaria italica*, *Echinochloa frumentacea*, and *Panicum miliaceum*, 543
- Peña, R., and L. S. Bates. Grain shrivelling in secondary hexaploid tritical. I. Alpha-amylase activity and carbohydrate content of mature and developing grains, 454
 and Grain shrivelling in secondary triticale.
 II. Morphology of mature and developing grains related to grain shrivelling, 459
- Perez, R. A., J. Tuite, and K. Baker. Effect of moisture, temperature, and storage time on subsequent storability of shelled corn, 205
- Phillips, S. G. *See* S. B. Dryer, 319
- Pisesookbunterng, W. *See* B. L. D'Appolonia, 254
- Pomeranz, Y. *See* D. B. Bechtel, 336
 *See* O. K. Chung, 14
 *See* E. Dikeman, 139
 *See* B. Fretzdorff, 113
 *See* J. D. Hubbard, 20
 *See* P. R. Mathewson, 108, 156
 *See* P. Meredith, 355
- Ponte, J. G., Jr. *See* M. T. Bakhoun, 37
- Popineau, Y., and B. Godon. Surface hydrophobicity of gliadin components, 55
- Powell, T. S. *See* S. B. Dryer, 319
- Prentice, N. Purification of beta-glucanase for beta-D-glucan assays, 231
- Preston, K. R. Gel filtration of wheat gluten proteins on Sephadryl S-300, 73
 *See* R. H. Kilborn, 171, 381
- Proudfoot, F. G. *See* C. G. Zarkadas, 323
- Rackis, J. J. *See* K. Warner, 175
- Raemy, A., and J. Lölicher. Thermal behavior of cereals studied by heat flow calorimetry, 189
- Ramey, H. H., Jr. *See* G. S. Birth, 516
- Ranhotra, G. S., J. A. Gelroth, F. A. Novak, M. A. Bock, and G. L. Winterringer. Digestibility of complex carbohydrates and protein in wheat breads, 493
 and G. L. Winterringer. The use of magnesium powder in fortified bread, 446
- Rendleman, J. A. Cereal complexes: Binding of calcium by bran and components of bran, 302
 and Grobe, C. A. Cereal complexes: Binding of zinc by bran and components of bran, 310
- Ring, S. H. *See* D. H. Hahn, 132
- Rooney, L. W. *See* C. Doherty, 373
 *See* D. H. Hahn, 132
 *See* M. N. Khan, 279
- Rubenthaler, G. L., and H. A. Faridi. Laboratory dough molder for flat breads, 72
- Sadasivam, S. *See* K. Parvathy, 543
- Sahasrabudhe, M. R. *See* G. J. Matlashewski, 418
- Saio, K., K. Kobayakawa, and M. Kito. Protein denaturation during model storage studies of soybeans and meals, 408
- Salimath, P. V., and R. N. Tharanathan. Carbohydrates of field bean (*Dolichos lablab*), 430
- Salovaara, H. Effect of partial sodium chloride replacement by other salts on wheat dough rheology and breadmaking, 422
 Sensory limitations to replacement of sodium with potassium and magnesium in bread, 427
- Salunkhe, D. K. *See* S. S. Deshpande, 396
- Sathe, S. K. *See* S. S. Deshpande, 396
- Sauer, D. B. *See* L. M. Seitz, 9, 100
- Schofield, J. D., and I. C. Baianu. Solid-state, cross-polarization magic-angle spinning carbon-13 nuclear magnetic resonance and biochemical characterization of wheat proteins, 240
- Seib, P. A. *See* D. W. Lillard, 291
 *See* U. Tangkongchitr, 216
- Seitz, L. M., D. B. Sauer, and H. E. Mohr. Storage of high-moisture corn: Fungal growth and dry matter loss, 100
 and D. F. Aldis. Fungal growth and dry matter loss during bin storage of high-moisture corn, 9
- Shepherd, A. D. *See* A. De Francisco, 1
- Shibuya, N. *See* T. Iwasaki, 192
- Shogren, M. D. *See* K. F. Finney, 385, 449
- Sibbitt, L. D. *See* A. S. Hamada, 296
- Spadaro, J. J. *See* J. I. Wadsworth, 50
- Spies, R. D., and R. C. Hoseney. Effect of sugars on starch gelatinization, 128
- Stanley, D. W. *See* J. Owusu-Ansah, 167
- Starkey, P. M. *See* P. C. Williams, 318
- Suzuki, T. *See* T. Iwasaki, 192
- Swaranjeet, K., K. Maninder, and G. S. Bains. Chapatis with leavening and supplements: Changes in texture, residual sugars, and phytic phosphorus, 367
- Sweat, V. E. *See* M. N. Khan, 279
- Tabekhia, M. M., and B. J. Donnelly. Phytic acid in durum wheat and its milled products, 105
- Tangkongchitr, U., P. A. Seib, and R. C. Hoseney. Phytic acid. III. Two barriers to the loss of phytate during breadmaking, 216

- Tharanathan, R. N. *See* P. V. Salimath, 430
Thompson, D. B., and J. W. Erdman, Jr. Structural model for ferric phytate: Implications for phytic acid analysis, 525
Tuite, J. *See* R. A. Perez, 205
Tyler, R. T., and B. D. Panchuk. Effect of seed moisture content on the air classification of field peas and faba beans, 31
- Uebersax, M. A. *See* C. DeFouw, 229, 245
_____. *See* S. B. Dryer, 319
Urquhart, A. A. *See* G. J. Matlashedewski, 418
- Van de Voort, F. R. *See* J. Owusu-Ansah, 167
Varriano-Marston, E., R. C. Hosney, and J. A. Dunaway. Alpha-amylase determination: Explanation for high falling numbers at lower bath temperatures, 151
_____. *See* S. Abdul-Hussain, 351
_____. *See* A. De Francisco, 1, 5
_____. *See* M. L. Fields, 23
_____. *See* K. Ghiasi, 81, 86, 258, 262
_____. *See* G. Huang, 496, 500
_____. *See* C. C. Lee, 389
- Wadsworth, J. I., J. Matthews, and J. J. Spadaro. Milling performance and quality characteristics of Starbonnet variety rice fractionated by rough rice kernel thickness, 50
Warner, K., G. N. Bookwalter, J. J. Rackis, D. H. Honig, E. Hockridge, and W. F. Kwolek. Prevention of rancidity in experimental rat diets for long-term feeding, 175
Wennekes, L. M. J. *See* G. J. Doeke, 276
Whistler, R. L. *See* J. R. Daniel, 92
Whitaker, T. B. *See* E. B. Lillihoj, 136
Whitney, R. McL. *See* G. W. Padua, 361
Williams, P. C., K. H. Norris, and W. S. Zarowski. Influence of temperature on estimation of protein and moisture in wheat by near-infrared reflectance, 473
_____. *See* P. M. Starkey. A modification of the crude fiber test for application to flour, 318
Winteringer, G. L. *See* G. S. Ranhotra, 446, 493
Wyland, A. R., and B. L. D'Appolonia. Influence of drying temperature and farina blending on spaghetti quality, 199
- Yamazaki, W. T., and L. C. Andrews. Experimental milling of soft wheat cultivars and breeding lines, 41
_____. *See* L. C. Andrews. Small-scale milling to estimate the milling quality of soft wheat cultivars and breeding lines, 270
- Zabik, M. E. *See* C. DeFouw, 229, 245
_____. *See* S. B. Dryer, 319
- Zarkadas, C. G., H. W. Hulan, and F. G. Proudfoot. A comparison of the amino acid composition of two commercial oat groats, 323
Zarowski, W. S. *See* P. C. Williams, 473
Zuber, M. S. *See* E. B. Lillihoj, 136