

Index to Volume 68

Author Index

(Page number of erratum in italics)

- Abraham, G. *See* E. T. Champagne, 267
- Addo, K., and Y. Pomeranz. Lipid binding and fatty acid distribution in flour, dough, and baked and steamed bread, 570
- , ———, M. L. Huang, G. L. Rubenthaler, and H. C. Jeffers. Steamed bread. II. Role of protein content and strength, 39
- Adewusi, S. R. A., B. O. Orisadare, and O. L. Oke. Studies on weaning diets in Nigeria. I. Carbohydrate sources, 165
- Akasaka, K. *See* W. Tsuzuki, 365
- Akingbala, J. O. Effect of processing on flavonoids in millet (*Pennisetum americanum*) flour, 180
- Ali, H. I., and B. F. Harland. Effects of fiber and phytate in sorghum flour on iron and zinc in weaning rats: A pilot study, 234
- Almeida-Dominguez, H. D., S. O. Serna-Saldivar, and L. W. Rooney. Properties of new and commercial sorghum hybrids for use in alkaline-cooked foods, 25
- Amr, A. S. Characterization and use of samah in the production of flat bread, 155
- Anderson, J. W., C. C. Hamilton, J. L. Horn, D. B. Spencer, D. W. Dillon, and J. A. Zeigler. Metabolic effects of insoluble oat fiber on lean men with type II diabetes, 291
- Andrews, L. S. *See* R. M. Grodner, 162
- Añón, M. C. *See* S. A. Giner, 77
- Artz, W. E. *See* L. Ning, 632
- Astroth, K. *See* G. S. Ranhotra, 130, 548
- Babb, J. C. *See* K. R. Preston, 133
- Bagley, E. B. *See* R. L. Cunningham, 258
- Barbeau, W. E. *See* L. Pong, 552
- Batey, I. L., R. B. Gupta, and F. MacRitchie. NOTE: Use of size-exclusion high-performance liquid chromatography in the study of wheat flour proteins: An improved chromatographic procedure, 207
- Bechtel, D. B., J. D. Wilson, and P. R. Shewry. Immunocytochemical localization of the wheat storage protein triticin in developing endosperm tissue, 573
- Bekes, F. *See* R. B. Gupta, 328
- Belonje, B. *See* B. G. Shah, 190
- Benedito de Barber, C. *See* C. Collar, 66
- Berglund, P. T., D. R. Shelton, and T. P. Freeman. Frozen bread dough ultrastructure as affected by duration of frozen storage and freeze-thaw cycles, 105
- Bergquist, R. R. *See* Y. V. Wu, 542
- Berhow, M. A. *See* M. S. Kaldy, 508
- Bhatty, R. S., A. W. MacGregor, and B. G. Rossnagel. Total and acid-soluble β -glucan content of hullless barley and its relationship to acid-extract viscosity, 221
- . *See* G. S. Ranhotra, 548
- Bietz, J. A. *See* F. R. Huebner, 583
- . *See* J. W. Paulis, 361
- Biliaderis, C. G. *See* M. Izydorczyk, 139, 145
- . *See* J. Michniewicz, 252
- Bittner, D. R. *See* M. E. Camire, 419
- Bjarnason, M. *See* E. I. Ortega, 482
- Bjerke, J. M. *See* T. P. Freeman, 492
- Blackwell, B. A. *See* F. W. Collins, 184
- . *See* P. J. Wood, 31
- Bois, J. *See* K. Kobrehl, 1
- Borhan, M. *See* B. A. Rasco, 295
- Brassard, R. *See* R. Mongeau, 448
- . *See* B. G. Shah, 190
- Breda, V. A. *See* D. W. Irving, 376
- Bruinsma, B. *See* B. A. Rasco, 295
- Bushuk, W. *See* F. R. Huebner, 583
- . *See* Y. Inoue, 627
- . *See* M. Izydorczyk, 139, 145
- . *See* B. O. Juliano, 317
- . *See* J. Michniewicz, 252
- . *See* P. K. W. Ng, 321
- . *See* D. Sievert, 512
- Camire, M. E., and S. I. Flint. NOTE: Thermal processing effects on dietary fiber composition and hydration capacity in corn meal, oat meal, and potato peels, 645
- , C. C. King, and D. R. Bittner. Characteristics of extruded mixtures of cornmeal and glandless cottonseed flour, 419
- Carr, M. E., R. E. Wing, and W. M. Doane. Encapsulation of atrazine within a starch matrix by extrusion processing, 262
- . *See* R. L. Cunningham, 258
- Cecil, J. E. *See* C. F. Klopfenstein, 177
- Champagne, E. T., R. J. Hron, Sr., and G. Abraham. Stabilizing brown rice products by aqueous ethanol extraction, 267
- Chen, M. *See* G.-H. Feng, 95, 516
- Chen, S.-H. Comparative study of pollen proteins of rice by isoelectric focusing and high-performance liquid chromatography, 91
- Chinachoti, P., M.-S. Kim-Shin, F. Mari, and L. Lo. Gelatinization of wheat starch in the presence of sucrose and sodium chloride: Correlation between gelatinization temperature and water mobility as determined by oxygen-17 nuclear magnetic resonance, 245
- , V. A. White, L. Lo, and T. R. Stengle. Application of high-resolution carbon-13, oxygen-17, and sodium-23 nuclear magnetic resonance to study the influences of water, sucrose, and sodium chloride on starch gelatinization, 238
- Christianson, D. D. *See* G. F. Fanta, 300
- Chung, D. S. *See* Q. Zhuge, 336
- Collar, C., A. F. Mascarós, J. A. Prieto, and C. Benedito de Barber. Changes in free amino acids during fermentation of wheat doughs started with pure culture of lactic acid bacteria, 66
- Collins, F. W., D. C. McLachlan, and B. A. Blackwell. Oat phenolics: Avenaluminic acids, a new group of bound phenolic acids from oat groats and hulls, 184
- Cunningham, R. L., M. E. Carr, and E. B. Bagley. Polyurethane foams extended with corn flour, 258
- Curioni, A., A. D. B. Peruffo, G. Pressi, and N. E. Pogna. Immunological distinction between x-type and y-type high molecular weight glutenin subunits, 200
- Czuchajowska, Z., D. Sievert, and Y. Pomeranz. Enzyme-resistant starch. IV. Effects of complexing lipids, 537
- . *See* D. Sievert, 86
- D'Appolonia, B. L. *See* L. A. Grant, 651
- Darius, P. L. *See* S. Vanhamel, 170
- Davis, E. A. *See* L. A. Miller, 441
- Defloor, I., C. De Geest, M. Schellekens, A. Martens, and J. A. Delcour. Emulsifiers and/or extruded starch in the production of breads from cassava. I., 323
- De Geest, C. *See* I. Defloor, 323
- . *See* J. A. Delcour, 369
- Delcour, J. A., C. DeGeest, R. C. Hosenev, and K. Shelke. Glycine derivatives as the source of carbon dioxide in cake formulations, 369
- , S. Vanhamel, and R. C. Hosenev. Physicochemical and functional properties of rye nonstarch polysaccharides. II. Impact of a fraction containing water-soluble pentosans and proteins on gluten-starch loaf volumes, 72
- . *See* I. Defloor, 323
- . *See* S. Vanhamel, 170
- . *See* C. J. A. Vinkx, 617
- Dexter, J. E., R. Tkachuk, and K. H. Tipples. Physical properties and processing quality of durum wheat fractions recovered from a specific gravity table, 401
- . *See* S. J. Symons, 454
- . *See* R. Tkachuk, 390, 428
- Debye, C. W. *See* Q. Zhuge, 336
- Dhaliwal, Y. S., K. S. Sekhon, and H. P. S. Nagi. Enzymatic activities and rheological properties of stored rice, 18
- Dick, J. W. *See* C. Mok, 405, 409
- Dillon, D. W. *See* J. W. Anderson, 291
- Doane, W. M. *See* M. E. Carr, 262
- Dorsey-Redding, C., C. R. Hurburgh, Jr., L. A. Johnson, and S. R. Fox. Relationships among maize quality factors, 602
- Du, L., and D. S. Jackson. NOTE: Corn wet milling with a commercial enzyme preparation, 205
- Eckhoff, S. R., and C. C. Tso. NOTE: Starch recovery from steeped corn grits as affected by drying temperature and added commercial protease, 319
- and ———. Wet milling of corn using gaseous SO₂ addition before steeping and the effect of lactic acid on steeping, 248
- . *See* A. Song, 464
- Eisenbraun, G. J. *See* G. S. Ranhotra, 130, 432
- El-Din, M. H. A. S. *See* A. A. E. Yaseen, 159
- Eliasson, A.-C. *See* M. Gudmundsson, 172
- El-Latif, A. R. A. *See* A. A. E. Yaseen, 159

- Falmet, Y. *See* K. Kobrehel, 1
- Fanta, G. F., and D. D. Christianson. Influence of poly (ethylene-co-acrylic acid) on the paste viscosity and gel rheology of cornstarch dispersions, 300
- Faubion, J. M. *See* L. M. Hansen, 347
- Faure, J. *See* A. Louis-Alexandre, 614
- Fedec, P. *See* P. J. Wood, 48
- Feng, G.-H., M. Chen, K. J. Kramer, and G. R. Reeck. α -Amylase inhibitors from rice: Fractionation and selectivity toward insect, mammalian, and bacterial α -amylases, 516
- _____, _____, _____, and _____. Reversed-phase high-performance liquid chromatographic separation of wheat proteinaceous inhibitors of insect and mammalian α -amylases, 95
- _____. *See* H. He, 641
- Figuroa, J. D. C., and K. Khan. The relationship of bromate requirement and sugars in breadmaking and implications for loaf volume potential of hard red spring wheat flours, 284
- Flint, S. I. *See* M. E. Camire, 645
- Fox, S. R. *See* C. Dorsey-Redding, 602
- Freeman, T. P., D. R. Shelton, J. M. Bjerke, and K. Skierkowski. The ultrastructure of wheat gluten: Variations related to sample preparation, 492
- _____. *See* P. T. Berglund, 105
- Frohlich, A. A. *See* C. A. Roberts, 272
- Gaines, C. S. Associations among quality attributes of red and white soft wheat cultivars across locations and crop years, 56
- Gbur, E. E. *See* P. S. Landers, 545
- Gelroth, J. A. *See* G. S. Ranhotra, 130, 432, 548, 556
- Giner, S. A., C. E. Lupano, and M. C. Añón. A model for estimating loss of wheat seed viability during hot-air drying, 77
- Glaser, B. K. *See* G. S. Ranhotra, 556
- Gomez, M. H., R. D. Waniska, and L. W. Rooney. Starch characterization of nixtamalized corn flour, 578
- Gordon, J. *See* L. A. Miller, 441
- Grant, L. A., and B. L. D'Appolonia. NOTE: Effects of low-level gamma radiation on water-soluble nonstarchy polysaccharides isolated from hard red spring wheat flour and bran, 651
- Graybosch, R. *See* G. L. Lookhart, 312
- _____. *See* S. Primard, 305
- Greene, L. W. *See* S. O. Serna-Saldivar, 565
- Grodner, R. M., L. S. Andrews, and R. E. Martin. Chemical composition of seafood breading and batter mixes, 162
- Grove, M. J. *See* D. A. Warner, 383
- Gudmundsson, M., and A.-C. Eliasson. Thermal and viscous properties of rye starch extracted from different varieties, 172
- Gupta, R. B., F. Bekes, and C. W. Wrigley. Prediction of physical dough properties from glutenin subunit composition in bread wheats: Correlation studies, 328
- _____. *See* I. L. Batey, 207
- Hamilton, C. C. *See* J. W. Anderson, 291
- Hansen, L. M., R. C. Hoseney, and J. M. Faubion. Oscillatory rheometry of starch-water systems: Effect of starch concentration and temperature, 347
- Harland, B. F. *See* H. I. Ali, 234
- Harte, J. B. *See* N. L. Lorimer, 213, 636
- He, H., G. H. Feng, and R. C. Hoseney. Differences between flours in the rate of wheat protein solubility, 641
- _____, and R. C. Hoseney. A critical look at the electric resistance oven, 151
- _____, and _____. Differences in gas retention, protein solubility, and rheological properties between flours of different baking quality, 526
- _____, and _____. Gas retention in bread dough during baking, 521
- _____, and _____. Gas retention of different cereal flours, 334
- Hendricks, D. G. *See* D. Zhang, 194
- Henning, J. C. *See* C. A. Roberts, 272
- Horn, J. L. *See* J. W. Anderson, 291
- Hoseney, R. C. *See* J. A. Delcour, 72, 369
- _____. *See* L. M. Hansen, 347
- _____. *See* H. He, 151, 334, 521, 526, 641
- _____. *See* M. L. Martin, 498, 503
- Hron, R. J., Sr. *See* E. T. Champagne, 267
- Hsieh, F. *See* S. Lue, 227
- Huang, M. *See* Y. Pomeranz, 353
- Huang, M. L. *See* K. Addo, 39
- Huebner, F. R., A. Hussain, G. L. Lookhart, J. A. Bietz, W. Bushuk, and B. O. Juliano. Discrimination of sister-line IR rice varieties by polyacrylamide gel electrophoresis and reversed-phase high-performance liquid chromatography, 583
- Huff, H. E. *See* S. Lue, 227
- Hurburgh, C. R., Jr. *See* C. Dorsey-Redding, 602
- Hussain, A. *See* F. R. Huebner, 583
- _____. *See* B. O. Juliano, 317
- Ikeda, K., T. Sakaguchi, T. Kusano, and K. Yasumoto. Endogenous factors affecting protein digestibility in buckwheat, 424
- Inoue, Y., and W. Bushuk. Studies on frozen doughs. I. Effects of frozen storage and freeze-thaw cycles on baking and rheological properties, 627
- Irving, D. W., J. L. Peake, and V. A. Breda. Nutrient distribution in five perennial grain species exhibited by light and scanning electron microscopy, 376
- Ito, S. *See* Y. Mano, 280
- Izydorczyk, M., C. G. Biliaderis, and W. Bushuk. Comparison of the structure and composition of water-soluble pentosans from different wheat varieties, 139
- _____, _____, and _____. Physical properties of water-soluble pentosans from different wheat varieties, 145
- Jackson, D. S. *See* L. Du, 205
- Jeffers, H. C. *See* K. Addo, 39
- Johnson, J. M. *See* L. Pong, 552
- Johnson, L. A. *See* C. Dorsey-Redding, 602
- _____. *See* C. C. Lee, 100
- _____. *See* J. D. Steinke, 7, 12
- Johnson, S. *See* C. C. Lee, 100
- Juliano, B. O., A. Hussain, A. P. Resurreccion, and W. Bushuk. NOTE: Interference of phytate with extraction of protein from brown rice using 5M acetic acid, 317
- _____. *See* F. R. Huebner, 583
- _____. *See* G. L. Lookhart, 396
- _____. *See* C. P. Villareal, 437
- Kaldy, M. S., G. I. Rubenthaler, G. R. Kereliuk, M. A. Berhow, and C. E. Vandercook. Relationships of selected flour constituents to baking quality in soft white wheat, 508
- Kasarda, D. D. *See* F. MacRitchie, 122
- Kaushik, R. P., and G. S. Khush. Endosperm mutants in rice: Gene expression in japonica and indica backgrounds, 487
- Keagy, P. M., and T. F. Schatzki. Effect of image resolution on insect detection in wheat radiographs, 339
- Kereliuk, G. R. *See* M. S. Kaldy, 508
- Khan, K. *See* J. D. C. Figuroa, 284
- Khush, G. S. *See* R. P. Kaushik, 487
- Kilborn, R. H. *See* K. R. Preston, 133
- Kim-Shin, M.-S. *See* P. Chinachoti, 245
- King, C. C. *See* M. E. Camire, 419
- Klopfenstein, C. F., H. W. Leopold, and J. E. Cecil. Semiwet milling of pearl millet for reduced goitrogenicity, 177
- Knutson, C. A. *See* D. A. Warner, 383
- Kobrehel, K., J. Bois, and Y. Falmet. A comparative analysis of the sulfur-rich proteins of durum and bread wheats—Their possible functional properties, 1
- Kojima, M. *See* Y. Mano, 280
- Kramer, K. J. *See* G.-H. Feng, 95, 516
- Krishnan, H. B., J. A. White, and S. G. Pueppke. NOTE: Immunocytochemistry of wheat storage proteins: Effect of particle size of protein A-gold on labeling intensity, 108
- Kriz, A. L. *See* E. Paiva, 276
- Kusano, T. *See* K. Ikeda, 424
- Kuzmicky, D. D. *See* F. MacRitchie, 122
- Lahlou, A. *See* C. Mestres, 51
- Lambert, R. J. *See* J. W. Paulis, 361
- Lamkin, W. M., N. C. Unruh, and Y. Pomeranz. Use of fluorometry for the determination of uric acid in grain. Elimination of interfering fluorescence, 81
- Landers, P. S., E. E. Gbur, and R. N. Sharp. Comparison of two models to predict amylose concentration in rice flours as determined by spectrophotometric assay, 545
- Larkins, B. A. *See* E. Paiva, 276
- Laszlo, J. A. Changes in endogenous and exogenous iron-reducing capability of soybean hull during development, 21
- Lee, C. C., L. A. Johnson, J. A. Love, and S. Johnson. Effects of processing and usage level on performance of bovine plasma as an egg white substitute in cakes, 100
- Lee, J.-H. *See* S. Primard, 305
- Lee, M. H. *See* B. A. Rasco, 295
- Lee, W. J., F. W. Sosulski, and S. Sokhansanj. Yield and composition of soluble and insoluble fractions from corn and wheat stillages, 559
- _____. *See* F. W. Sosulski, 562
- Leopold, H. W. *See* C. F. Klopfenstein, 177
- Litchfield, J. B. *See* A. Song, 464
- Lo, L. *See* P. Chinachoti, 238, 245
- Lodh, S. B. *See* B. B. Nanda, 351
- Lookhart, G. L., R. Graybosch, J. Peterson, and A. Lukaszewski. Identification of wheat lines containing the 1BL/1RS translocation by high-performance liquid chromatography, 312
- _____, B. O. Juliano, and B. D. Webb. Effect of solvent extraction, en-

- vironment, and genetic background on differentiating rice by reversed-phase high-performance liquid chromatography, 396
 _____. See F. R. Huebner, 583
- Lorimer, N. L., M. E. Zabik, J. B. Harte, N. C. Stachiw, and M. A. Uebersax. Effect of navy bean protein flour and navy bean globulin(s) on composite flour rheology, chemical bonding, and microstructure, 213
 _____, _____, _____, and _____. Navy bean flour fractions in composite doughs: Effect of bean grade on rheology parameters and microstructure of wheat dough, 636
- Louis-Alexandre, A., C. Mestres, and J. Faure. Measurement of endosperm vitreousness of corn: A quantitative method and its application to African cultures, 614
 _____. See C. Mestres, 51
- Love, J. A. See C. C. Lee, 100
- Lue, S., F. Hsieh, and H. E. Huff. Extrusion cooking of corn meal and sugar beet fiber: Effects on expansion properties, starch gelatinization, and dietary fiber content, 227
- Lukaszewski, A. See G. L. Lookhart, 312
- Lukow, O. W., and P. B. E. McVetty. Effect of cultivar and environment on quality characteristics of spring wheat, 597
- Lupano, C. E. See S. A. Giner, 77
- MacGregor, A. W. See R. S. Bhatti, 221
- MacRitchie, F., D. D. Kasarda, and D. D. Kennedy. Characterization of wheat protein fractions differing in contributions to breadmaking quality, 122
 _____. See I. L. Batey, 207
- Mahn, W. See P. J. Wood, 530
- Mahoney, A. W. See D. Zhang, 194
- Malcolm, S. See R. Mongeau, 448
 _____. See B. G. Shah, 190
- Mali, P. C. See B. B. Nanda, 351
- Mano, Y., S. Nishiyama, M. Kojima, M. Ohnishi, and S. Ito. Analysis of the molecular species of glycerolipids from rye grains by reversed-phase high-performance liquid chromatography, 280
- Maranville, J. W. See C. P. Villareal, 437
- Mari, F. See P. Chinachoti, 245
- Marquardt, R. R. See C. A. Roberts, 272
- Marshall, W. E., and F. L. Normand. Exothermic transitions in whole grain milled rice and milled rice flour studied by differential scanning calorimetry, 606
- Martens, A. See I. Defloor, 323
- Martin, M. L., and R. C. Hosney. A mechanism of bread firming. II. Role of starch hydrolyzing enzymes, 503
 _____, K. J. Zeleznek, and R. C. Hosney. A mechanism of bread firming. I. Role of starch swelling, 498
- Martin, R. E. See R. M. Grodner, 162
- Mascarós, A. F. See C. Collar, 66
- Matencio, F. See C. Mestres, 51
- McGraw, R. L. See C. A. Roberts, 272
- McLachlan, D. C. See F. W. Collins, 184
- McVetty, P. B. E. See O. M. Lukow, 597
- Mestres, C., A. Louis-Alexandre, F. Matencio, and A. Lahlou. Dry-milling properties of maize, 51
 _____. See A. Louis-Alexandre, 614
- Michniewicz, J., C. G. Biliaderis, and W. Bushuk. Effect of added pentosans on some physical and technological characteristics of dough and gluten, 252
- Miller, L. A., J. Gordon, and E. A. Davis. Dielectric and thermal transition properties of chemically modified starches during heating, 441
- Mok, C., and J. W. Dick. Moisture adsorption of damaged wheat starch, 405
 _____ and _____. Response of starch of different wheat classes to ball milling, 409
- Mongeau, R., R. Brassard, S. Malcolm, and B. G. Shah. Effect of dietary cereal brans on body weight and blood lipids in a long-term rat experiment, 448
 _____. See B. G. Shah, 190
- Morgan, B. C. See K. R. Preston, 133
- Morton, I. D. See A. K. Yousif, 43
- Mustafa, A. I. See A. K. Yousif, 43
- Nagao, S. See K. Shiiba, 115
- Nagi, H. P. S. See Y. S. Dhaliwal, 18
- Nanda, B. B., P. C. Mali, and S. B. Lodh. Glutamate dehydrogenase activity and isoenzymes, protein, and soluble amino acids in developing grains of high and low protein rice, 351
- Negishi, Y. See K. Shiiba, 115
- Nelsen, T. C. See Y. V. Wu, 343
- Neyreneuf, O., and J. B. Van Der Plaats. Preparation of frozen French bread dough with improved stability, 60
- Ng, P. K. W., and W. Bushuk. COMMUNICATION TO THE EDITOR: Model of glutenin structure based on farinograph and electrophoretic results, 321
- Ning, L., R. Villota, and W. E. Artz. Modification of corn fiber through chemical treatments in combination with twin-screw extrusion, 632
- Nishiyama, S. See Y. Mano, 280
- Normand, F. L. See W. E. Marshall, 606
- Nowicki, T. W. See R. Tkachuk, 428
- Ogata, Y. See W. Tsuzuki, 365
- Ohnishi, M. See Y. Mano, 280
- Okada, K. See K. Shiiba, 115
- Oke, O. L. See S. R. A. Adewusi, 165
- Orisadare, B. O. See S. R. A. Adewusi, 165
- Ortega, E. I., E. Villegas, M. Bjarnason, and K. Short. Changes in dry matter and protein fractions during kernel development of quality protein maize, 482
- Paiva, E., A. L. Kriz, M. J. V. V. D. Peixoto, J. C. Wallace, and B. A. Larkins. Quantitation and distribution of γ -zein in the endosperm of maize kernels, 276
- Paredes-López, O. See J. M. Vargas-López, 610
- Paulis, J. W., J. A. Bietz, R. J. Lambert, and E. M. Villegas. Identification of modified high-lysine maize genotypes by reversed-phase high-performance liquid chromatography, 361
- Paulsen, M. See A. Song, 464
- Peake, J. L. See D. W. Irving, 376
- Peixoto, M. J. V. V. D. See E. Paiva, 276
- Persaud, J. N. See Q. Zhuge, 336
- Peruffo, A. D. B. See A. Curioni, 200
- Peterson, C. J. See S. Primard, 305
- Peterson, J. See G. L. Lookhart, 312
- Phillips, R. D. See Y.-H. Tuan, 413
- Piazza, L. See M. Riva, 622
- Pogna, N. E. See A. Curioni, 200
- Pomeranz, Y., M. Huang, and G. L. Rubenthaler. Steamed bread. III. Role of lipids, 353
 _____. See K. Addo, 39, 570
 _____. See Z. Czuchajowska, 537
 _____. See W. M. Lamkin, 81
 _____. See D. Sievert, 86
 _____. See J. Szczodrak, 589
 _____. See W. H. Thomson, 357
- Pong, L., J. M. Johnson, W. E. Barbeau, and D. L. Stewart. Evaluation of alternative fat and sweetener systems in cupcakes, 552
- Posner, E. S. See Q. Zhuge, 336
- Pressi, G. See A. Curioni, 200
- Preston, K. R., R. H. Kilborn, B. C. Morgan, and J. C. Babb. Effects of frost and immaturity on the quality of a Canadian hard red spring wheat, 133
- Prieto, J. A. See C. Collar, 66
- Primard, S., R. Graybosch, C. J. Peterson, and J.-H. Lee. Relationships between gluten protein composition and quality characteristics in four populations of high-protein, hard red winter wheat, 305
- Pueppke, S. G. See H. B. Krishnan, 108
- Raju, G. N., and T. Srinivas. NOTE: Effect of physical, physiological, and chemical factors on the expression of chalkiness in rice, 210
- Ramirez-Wong, B. See J. M. Vargas-López, 610
- Ranhotra, G. S., J. A. Gelroth, K. Astroth, and R. S. Bhatti. Relative lipidemic responses in rats fed barley and oat meals and their fractions, 548
 _____, _____, _____, and G. J. Eisenbraun. Effect of resistant starch on intestinal responses in rats, 130
 _____, _____, and G. J. Eisenbraun. NOTE: High-fiber white flour and its use in cookie products, 432
 _____, _____, B. K. Glaser, and C. S. Rao. Fecal bulking effect of whole grain flour from selected grains, 556
- Rao, C. S. See G. S. Ranhotra, 556
- Rasco, B. A., M. Borhan, J. M. Yegge, M. H. Lee, K. Siffring, and B. Bruinsma. Evaluation of enzyme and chemically treated wheat bran ingredients in yeast-raised breads, 295
- Reeck, G. R. See G.-H. Feng, 95, 516
- Resurreccion, A. P. See B. O. Juliano, 317
- Riva, M., L. Piazza, and A. Schiraldi. Starch gelatinization in pasta cooking: Differential flux calorimetry investigations, 622
- Roberts, C. A., R. R. Marquardt, A. A. Frohlich, R. L. McGraw, R. G. Rotter, and J. C. Henning. Chemical and spectral quantification of mold in contaminated barley, 272
- Rooney, L. W. See H. D. Almeida-Dominguez, 25
 _____. See M. H. Gomez, 578
 _____. See S. O. Serna-Saldivar, 565
- Rosnagel, B. G. See R. S. Bhatti, 221
- Rotter, R. G. See C. A. Roberts, 272
- Rubenthaler, G. L. See K. Addo, 39
 _____. See M. S. Kaldy, 508
 _____. See Y. Pomeranz, 353

- Sakaguchi, T. *See* K. Ikeda, 424
- Sapirstein, H. D. *See* D. Sievert, 512
- Schatzki, T. F. *See* P. M. Keagy, 339
- Schellekens, M. *See* I. Defloor, 323
- Schiraldi, A. *See* M. Riva, 622
- Schnürer, J. NOTE: Distribution of fungal biomass among fine bran, coarse bran, and flour from wheat stored at four different moisture levels, 434
- Seib, P. A. *See* Q. Zhuge, 336
- Sekhon, K. S. *See* Y. S. Dhaliwal, 18
- Serna-Saldivar, S. O., L. W. Rooney, and L. W. Greene. Effect of lime treatment on the availability of calcium in diets of tortillas and beans: Rat growth and balance studies, 565
- _____. *See* H. D. Almeida-Dominguez, 25
- Shah, B. G., S. Malcolm, B. Belonje, K. D. Trick, R. Brassard, and R. Mongeau. Effect of dietary cereal brans on the metabolism of trace elements in a long-term rat study, 190
- _____. *See* R. Mongeau, 448
- Sharp, R. N. *See* P. S. Landers, 545
- Shelke, K. *See* J. A. Delcour, 369
- Shelton, D. R. *See* P. T. Berglund, 105
- _____. *See* T. P. Freeman, 492
- Shewry, P. R. *See* D. B. Bechtel, 573
- Shibata, S. *See* W. Tsuzuki, 365
- Shiiba, K., Y. Negishi, K. Okada, and S. Nagao. Purification and characterization of lipoxigenase isozymes from wheat germ, 115
- Short, K. *See* E. I. Ortega, 482
- Sievert, D., Z. Czuchajowska, and Y. Pomeranz. Enzymes-resistant starch. III. X-ray diffraction of autoclaved amylo maize VII starch and enzyme-resistant starch residues, 86
- _____, H. D. Sapirstein, and W. Bushuk. Electrophoretic study of some high molecular weight proteins of the acetic acid-insoluble residue of wheat flours, 512
- _____. *See* Z. Czuchajowska, 537
- Siffring, K. *See* B. A. Rasco, 295
- Singh, B. *See* U. Singh, 460
- Singh, U., and B. Singh. Functional properties of sorghum-peanut composite flour, 460
- Sisson, D. V. *See* D. Zhang, 194
- Skerritt, J. H. A simple antibody-based test for dough strength. I. Development of method and choice of antibodies, 467
- _____. A simple antibody-based test for dough strength. II. Genotype and environment effects, 475
- Skierkowski, K. *See* T. P. Freeman, 492
- Sokhansanj, S. *See* W. J. Lee, 559
- _____. *See* F. W. Sosulski, 562
- _____. *See* J. Tang, 647
- Song, A., S. R. Eckhoff, M. Paulsen, and J. B. Litchfield. Effects of kernel size and genotype on popcorn popping volume and number of unpopped kernels, 464
- Sosulski, F. W., W. J. Lee, and S. Sokhansanj. Wet milling and separation of wheat distillers' grains with solubles into dietary fiber and protein fractions, 562
- _____. *See* W. J. Lee, 559
- _____. *See* J. Tang, 647
- Spencer, D. B. *See* J. W. Anderson, 291
- Srinivas, T. *See* G. N. Raju, 210
- Stachiw, N. C. *See* N. L. Lorimer, 213, 636
- Steinke, J. D., and L. A. Johnson. Steeping maize in the presence of multiple enzymes. I. Static batchwise steeping, 7
- _____ and _____. Steeping maize in the presence of multiple enzymes. II. Continuous countercurrent steeping, 12
- Stengle, T. R. *See* P. Chinachoti, 238
- Stewart, D. L. *See* L. Pong, 552
- Suzuki, T. *See* W. Tsuzuki, 365
- Symons, S. J., and J. E. Dexter. Computer analysis of fluorescence for the measurement of flour refinement as determined by flour ash content, flour grade color, and tristimulus color measurements, 454
- Szczodrak, J., and Y. Pomeranz. Starch and enzyme-resistant starch from high-amylose barley, 589
- Tang, J., S. Sokhansanj, and F. Sosulski. Determination of the breakage susceptibility of lentil seeds, 647
- Thannoun, A. M. *See* D. Zhang, 194
- Thomson, W. H., and Y. Pomeranz. Classification of wheat kernels using three-dimensional image, 357
- Tipples, K. H. *See* J. E. Dexter, 401
- _____. *See* R. Tkachuk, 390, 428
- Tkachuk, R., J. E. Dexter, and K. H. Tipples. Removal of sprouted kernels from hard red spring wheat with a specific gravity table, 390
- _____, _____, and T. W. Nowicki. Removal by specific gravity table of tombstone kernels and associated trichothecenes from wheat infected with *Fusarium* head blight, 428
- _____. *See* J. E. Dexter, 401
- Trick, K. D. *See* B. G. Shah, 190
- Tso, C. C. *See* S. R. Eckhoff, 248, 319
- Tsuzuki, W., Y. Ogata, K. Akasaka, S. Shibata, and T. Suzuki. Fatty acid composition of selected buckwheat species by fluorometric high-performance liquid chromatography, 365
- Tuan, Y.-H., and R. D. Phillips. Effect of the hard-to-cook defect and processing on protein and starch digestibility of cowpeas, 413
- Uebersax, M. A. *See* N. L. Lorimer, 213, 636
- Unruh, N. C. *See* W. M. Lamkin, 81
- Van Den Ende, L. *See* S. Vanhamel, 170
- Van Der Laat, J. B. *See* O. Neyreneuf, 60
- Vandercook, C. E. *See* M. S. Kaldy, 508
- Vanhamel, S., L. Van Den Ende, P. L. Darius, and J. A. Delcour. A volumeter for breads prepared from 10 grams of flour, 170
- _____. *See* J. A. Delcour, 72
- Van Nieuwenhove, C. G. *See* C. J. A. Vinkx, 617
- Vargas-López, J. M., O. Paredes-López, and B. Ramirez-Wong. Physicochemical properties of extrusion-cooked amaranth under alkaline conditions, 610
- Villareal, C. P., J. W. Maranville, and B. O. Juliano. NOTE: Nutrient content and retention during milling of brown rices from the International Rice Research Institute, 437
- Villegas, E. *See* E. I. Ortega, 482
- _____. *See* J. W. Paulis, 361
- Villota, R. *See* L. Ning, 632
- Vinkx, C. J. A., C. G. Van Nieuwenhove, and J. A. Delcour. Physicochemical and functional properties of rye nonstarch polysaccharides. III. Oxidative gelation of a fraction containing water-soluble pentosans and proteins, 617
- Wallace, J. C. *See* E. Paiva, 276
- Waniska, R. D. *See* M. H. Gomez, 578
- Warner, D. A., M. J. Grove, and C. A. Knutson. Isolation and characterization of α -amylases from endosperm of germinating maize, 383
- Webb, B. D. *See* G. L. Lookhart, 396
- Weisz, J. *See* P. J. Wood, 31, 48, 530
- _____. *See* S. H. Yiu, 372
- White, J. A. *See* H. B. Krishnan, 108
- White, V. A. *See* P. Chinachoti, 238
- Williams, P. C. NOTE: Prediction of wheat kernel texture in whole grains by near-infrared transmittance, 112
- Wilson, J. D. *See* D. B. Bechtel, 573
- Wing, R. E. *See* M. E. Carr, 262
- Wood, P. J., J. Weisz, and B. A. Blackwell. Molecular characterization of cereal β -D-glucans. Structural analysis of oat β -D-glucan and rapid structural evaluation of β -D-glucans from different sources by high-performance liquid chromatography of oligosaccharides released by lichenase, 31
- _____, _____, and P. Fedec. Potential for β -glucan enrichment in brans derived from oat (*Avena sativa* L.) cultivars of different (1 \rightarrow 3), (1 \rightarrow 4)- β -D-glucan concentrations, 48
- _____, _____, and W. Mahn. Molecular characterization of cereal β -glucans. II. Size-exclusion chromatography for comparison of molecular weight, 530
- _____. *See* S. H. Yiu, 372
- Wrigley, C. W. *See* R. B. Gupta, 328
- Wu, Y. V., and R. R. Bergquist. Relation of corn grain density to yields of dry-milling products, 542
- _____ and T. C. Nelsen. A simple, rapid method to measure wheat hardness by grinding time and speed reduction in a micro hammer-cutter mill, 343
- Yaseen, A. A. E., M. H. A. S. El-Din, and A. R. A. El-Latif. Fortification of balady bread with tomato seed meal, 159
- Yasumoto, K. *See* K. Ikeda, 424
- Yegge, J. M. *See* B. A. Rasco, 295
- Yiu, S. H., J. Weisz, and P. J. Wood. Comparison of the effects of microwave and conventional cooking on starch and β -glucan in rolled oats, 372
- Yousif, A. K., I. D. Morton, and A. I. Mustafa. Functionality of date paste in breadmaking, 43
- Yu, Y. *See* D. Zhang, 194
- Zabik, M. E. *See* N. L. Lorimer, 213, 636
- Zeigler, J. A. *See* J. W. Anderson, 291
- Zeleznek, K. J. *See* M. L. Martin, 498
- Zhang, D., D. G. Hendricks, A. W. Mahoney, Y. Yu, A. M. Thannoun, and D. V. Sisson. Bioavailability of total dietary iron from beef and soy protein isolate, alone or combined, in anemic and healthy rats, 194
- Zhugue, Q., J. N. Persaud, E. S. Posner, C. W. Deyoe, P. A. Seib, and D. S. Chung. Isolation of gluten and starch from ground, pearled wheat compared to isolation from flour, 336, 558