

# Subject Index

(Page number of erratum in italics)

- Acknowledgment of reviewers, v
- Alkaline cooking, amaranth grain by extrusion (Vargas-López et al), 610
- Amaranth, physicochemical properties of extrusion-cooked (Vargas-López et al), 610
- Amino acids, metabolism, consumption and release by lactic acid bacteria (Collar et al), 66
- $\alpha$ -Amylase
- from germinating maize (Warner et al), 383
  - inhibitors from rice; from insects, mammals, and bacteria (Feng et al), 516
  - mammalian, separation of wheat proteinaceous inhibitors of, by RP-HPLC (Feng et al), 95
  - removal of sprouted red spring wheat kernels with specific gravity table (Tkachuk et al), 390
  - segregation of sprouted durum wheat kernels on specific gravity table (Dexter et al), 401
- Amylose, two models for predicting concentration by spectrophotometric assay (Landers et al), 545
- Antibodies, polyclonal, raised against high molecular weight subunits of glutenin (Curioni et al), 200
- Antibody-based test, for dough strength (Skerritt), 467, 475
- Baking**
- alternative fat and sweetener systems (Pong et al), 552
  - bread, differences in gas retention, rheological properties between flour of different quality (He and Hoseneý), 526
  - frozen dough; frozen storage and freeze-thaw cycle effect on (Inoue and Bushuk), 627
  - gas retention of bread dough (He and Hoseneý), 521
  - properties of red spring wheat fractions removed from specific gravity table (Tkachuk et al), 390
  - qualities of soft white wheats; cookie diameter, cake volume related to constituents (Kaldy et al), 508
  - quality; differences in rate of protein solubility (He et al), 641
  - quality attribute association of soft wheat cultivars (Gaines), 56
  - use of electric resistance oven (He and Hoseneý), 151
  - of various cereal flours (He and Hoseneý), 334
- Barley
- contaminated, chemical and spectral quantification of mold in (Roberts et al), 272
  - high-amylose, starch isolation and fractionation (Szczodrak and Pomeranz), 589
  - hullless, relation of total and acid-soluble,  $\beta$ -glucan content to acid-extract viscosity (Bhatty et al), 221
  - lipidemic responses, in rat study (Ranhotra et al), 548
- Beans, bean grade effect on navy bean proteins, effect on rheological parameters and microstructure of wheat (Lorimer et al), 636
- Bran
- cereal, effect on metabolism of trace elements in rats (Shah et al), 190
  - dietary cereal, effect on body weight and blood lipids in rats (Mongeau et al), 448
  - wheat, in yeast-raised breads (Rasco et al), 295
- Bread and breadmaking
- baked and steamed bread, lipid binding and fatty acid distribution in (Addo and Pomeranz), 570
  - balady bread, fortification with tomato seed meal (Yaseen et al), 159
  - bread volume measured with volumeter (Vanhamel et al), 170
  - bromate and sugar relation (Figueroa and Khan), 284
  - cassava bread (Defloor et al), 323
  - date paste functionality (Yousif et al), 43
  - effect of rye and wheat pentosans (Delcour et al), 72
  - effects of wheat proteins (MacRitchie et al), 122
  - flat bread, use of samah in production of (Amr), 155
  - French bread dough, preparation of frozen (Neyreneuf and Van Der Plaat), 60
  - frozen bread dough, ultrastructure (Berglund et al), 105
  - mechanism of bread firming (Martin et al), 498
  - role of starch hydrolyzing enzyming on bread firming (Martin and Hoseneý), 503
  - steamed bread: lipid role (Pomeranz et al), 353; protein content and strength (Addo et al), 39
  - yeast-raised breads, evaluation of enzyme and chemically treated wheat bran ingredients in (Rasco et al), 295
- Breading and batters, seafood, composition of (Grodner et al), 162
- Breakage test, Tangential Abrasive Dehulling Device and Stein Breakage Tester for breakage susceptibility of lentils (Tang et al), 647
- Buckwheat
- fatty acid composition by fluorometric HPLC (Tsuzuki et al), 365
  - protein digestibility in, endogenous factors (Ikeda et al), 424
- Cakes
- alternative fat and sweetener systems (Pong et al), 552
  - baking; glycine derivatives as source of CO<sub>2</sub> (Delcour et al), 369
  - bovine plasma as egg white substitute in, processing and usual level effects on (Lee et al), 100
  - quality attribute association of soft wheat cultivars (Gaines), 56
- Calorimetry, differential flux, starch gelatinization in pasta cooking (Riva et al), 622
- Carbohydrate sources, *ogi* for weaning diets in Nigeria (Adewusi et al), 165
- Carbon dioxide, use of glycine derivatives as source in cake baking (Delcour et al), 369
- Cassava, bread from (Defloor et al), 323
- Cereal,  $\beta$ -glucan molecular weight (Wood et al), 530
- Chalkiness of rice, factors (Raju and Srinivas), 210
- Cholesterol, effect of soft vs. hard wheat bran fed male rats (Mongeau et al), 448
- Chromatography, size-exclusion, for molecular characterization of cereal  $\beta$ -glucans (Wood et al), 530
- Color measurement, in flour (Symons and Dexter), 454
- Cookies
- high-fiber white flour for (Ranhotra et al), 432
  - quality attribute association of soft wheat cultivars (Gaines), 56
- Cooking, lime, procedure (Almeida-Dominguez et al), 25
- Corn (see also Maize)
- bran; modification of soluble and insoluble fiber contents in (Ning et al), 632
  - grain vitreousness and endosperm texture (Louis-Alexandre et al), 614
  - hardness related to milling yields (Wu and Bergquist), 542
  - nixtamalized flour, starch characterization of (Gomez et al), 578
  - popcorn, effect of kernel size and genotype on popping volume and number of unpopped kernels (Song et al), 464
  - stillage; soluble and insoluble fraction yield and composition from (Lee et al), 659
  - wet milling with enzymes (Ling and Jackson), 205
- Cornmeal
- characteristics of extruded mixtures of (Camire et al), 419
  - extrusion cooking of (Lue et al), 227
- Cornstarch, complex with poly(ethylene-co-acrylic acid), paste viscosity and gel rheology (Fanta and Christianson), 300
- Cottonseed flour, characteristics of extruded mixtures of (Camire et al), 419
- Cowpeas, effect of hard-to-cook defect on nutritional quality (Tuan and Phillips), 413
- Cultivar, effect on quality of spring wheat (Lukow and McVetty), 597
- Date paste, as sugar replacer in breadmaking (Yousif et al), 43
- Dielectric properties, of chemically modified starches (Miller et al), 441
- Dietary fiber
- in baked and extruded materials (Camire and Flint), 645
  - from corn and wheat stillages (Lee et al), 659
  - effects on iron and zinc in weanling rats (Ali and Harland), 234
  - modification through chemical treatments and twin-screen extrusion (Ning et al), 632
  - separation of wheat distillers' grains into (Sosulski et al), 562
- Differential scanning calorimetry
- of barley starch (Szczodrak and Pomeranz), 589
  - to measure amylose-lipid complex recrystallization (Marshall and Normand), 606
- Dough
- baking in electric resistance oven (He and Hoseneý), 151
  - bean grade effect on navy bean proteins, effect on rheological parameters and microstructure of wheat (Lorimer et al), 636
  - bread, gas retention during baking (He and Hoseneý), 521
  - fermentation; level of amino acids during (Collar et al), 66
  - frozen bread, frozen storage and freeze-thaw cycle effect on: baking and rheological properties (Inoue and Bushuk), 627; ultrastructure (Berglund et al), 105
  - frozen French bread preparation (Neyreneuf and Van Der Plaat), 60
  - navy bean protein and globulins in composite flours, rheology, chemical bonding, microstructure (Lorimer et al), 213
  - pentosan effects on (Michniewicz et al), 252
  - properties; prediction on basis of glutenin composition (Gupta et al), 328
  - strength; predictive test (Skerritt), 467, 475
  - sulfur-rich protein effect on dough formation (Kobrehel et al), 1
- Drying
- effect on enzymatic activities and rheological properties of stored rice (Dhaliwal et al), 18
  - model for estimating loss of wheat seed viability (Giner et al), 77
  - temperature; effect of, on starch yield of corn grits (Eckhoff and Tso), 319
- Electrophoresis
- electroblotting of wheat prolamins (Curioni et al), 200
  - of glutenin subunits in relation to dough strength (Primard et al), 305

- PAGE-SDS and IEF of sulfur-rich proteins of wheats (Kobrehel et al), 1
- quantitation of proteins in fractions from wheat by (MacRitchie et al), 122
- Emulsifiers, in bread from cassava (Defloor et al), 323
- Endosperm, maize,  $\alpha$ -amylases from (Warner et al), 383
- Endosperm mutants, in rice, gene expression in japonica and indica (Kaushik and Khush), 487
- Environment
  - effect on dough strength, antibody-based test for (Skerritt), 475
  - effect on quality of spring wheat (Lukow and McVetty), 597
- Enzymes
  - $\alpha$ -amylases from germinating maize (Warner et al), 383
  - amylolytic, proteolytic, lipolytic, and lipoxygenase changes in stored rice (Dhaliwal et al), 18
- Erratum, Zhuge et al (vol. 68, no. 4), 558
- Ethanol extraction, for stabilizing brown rice products (Champagne et al), 267
- Extruders, twin-screw extrusion preparation of starch encapsulated herbicides (Carr et al), 262
- Extrusion cooking
  - of amaranth under alkaline conditions, physicochemical properties (Vargas-López et al), 610
  - of cornmeal and glandless cottonseed flour (Camire et al), 419
  - of cornmeal and sugar beet fiber (Lue et al), 227
  - effects on corn meal, oat meal, and potato peels (Camire and Flint), 645
- Fat substitutes, alternative fat systems in cake (Pong et al), 552
- Fecal bulk, effect of whole grain flour from selected grains (Ranhotra et al), 556
- Fermentation of wheat doughs, level of amino acids during (Collar et al), 66
- Fiber
  - soluble, in corn bran, chemical treatments and extrusion processing for increased levels (Ning et al), 632
  - water-soluble, metabolic effects on lean men with type II diabetes (Anderson et al), 291
- Flavonoids, processing effect on, in millet flour (Akingbala), 180
- Flour
  - bromate and sugar relation (Figueroa and Khan), 284
  - cereal, gas retention in doughs of (He and Hosoney), 334
  - corn, in rigid polyurethane foams (Cunningham et al), 258
  - high-fiber white, use in cookie products (Ranhotra et al), 432
  - soft white wheat, analysis for pentosan, sugars, amylose, and nonstarch polysaccharides (Kaldy et al), 508
  - sorghum-peanut composite, functional properties of (Singh and Singh), 460
  - wheat, electrophoretic study of HMW proteins of acetic acid-insoluble residue of (Sievrt et al), 512
  - whole grain, fecal bulking effect of (Ranhotra et al), 556
- Fluorescence imaging, quantitative measurement of (Symons and Dexter), 454
- Fluorometry, for determination of uric acid in grain (Lamkin et al), 81
- Foams, effects of corn flour in urethane (Cunningham et al), 258
- Fractionation, of rice proteins (Feng et al), 516
- Gas retention
  - in bread dough during baking (He and Hosoney), 521
  - differences between flour of different quality during baking (He and Hosoney), 526
- Gelatinization kinetics, in pasta cooking (Riva et al), 622
- Gliadins
  - immunochemical relationships with high molecular weight subunits of glutenin (Curioni et al), 200
  - in relation to dough strength (Primard et al), 305
- $\beta$ -Glucan
  - cereal, size-exclusion chromatography (Wood et al), 530
  - enrichment in brans, analysis in oats (Wood et al), 48
  - in rolled oats, microwave and conventional cooking effects compared (Yiu et al), 372
  - structure of, in cereals (Wood et al), 31
- Gluten
  - from ground, pearled wheat (Zhuge et al), 336, 558
  - pentosan effect on (Michniewicz et al), 252
  - ultrastructural variation related to sample preparation techniques (Freeman et al), 492
- Glutenin
  - high and low molecular weight subunits (Primard et al), 305
  - immunological reactions of x-type and y-type high molecular weight subunits of (Curioni et al), 200
  - LMW and HMW subunits, relationship with dough properties (Gupta et al), 328
  - structure; model, HMW subunits (Ng et al), 321
- Glycerolipids, analysis of molecular species of (Mano et al), 280
- Grain
  - perennial, structure and nutrient distribution in caryopses using SEM and LM (Irving et al), 376
  - uric acid in (Lamkin et al), 81
- Hardness
  - of corn; relation to milling yields (Wu and Bergquist), 542
  - of wheat; relating to grinding time and speed reduction in micro hammer-cutter mill (Wu and Nelsen), 343
- Herbicides, starch encapsulation by extrusion processing (Carr et al), 262
- HPLC
  - for analysis and structural characteristics of cereal  $\beta$ -glucans (Wood et al), 31
  - determination of IBL/IRS translocations from wheat flour (Lookhart et al), 312
  - fluorometric, for fatty acid composition of buckwheat (Tsuzuki et al), 365
  - of gliadin proteins (Primard et al), 305
  - reversed-phase discrimination of rice pollen protein (Chen), 91
- Hydration capacity, effects of baking and extrusion on (Camire and Flint), 645
- IEF, of rice pollen protein for cultivar identification (Chen), 91
- Image analysis
  - application to flour fluorescence (Symons and Dexter), 454
  - of wheat; classification (Thomson and Pomeranz), 357
- Immunocytochemistry
  - localization of wheat storage proteins (Bechtel), 573
  - of wheat storage proteins, effect of particle size of protein A-gold on labeling intensity (Krishnan et al), 108
- Insects
  - detection with wheat radiographs (Keagy and Schatzki), 339
  - grain infestation or contamination (Lamkin et al), 81
  - separation of wheat proteinaceous inhibitors of, by RP-HPLC (Feng et al), 95
- Instructions to authors, iii
- Instruments and instrumentation
  - near-infrared transmittance, for determining protein and moisture in cereal grains (Williams), 112
  - volumeter for measurement of breads (Vanhamel et al), 170
- Iron
  - bioavailability in rats fed soy protein isolate and beef, alone or combined (Zhang et al), 194
  - reducing capability of soybean hull (Laszlo), 21
- Lactic acid, addition of, when steeping in corn wet milling (Eckhoff and Tso), 248
- Legumes
  - breakage susceptibility of lentils (Tang et al), 647
  - navy bean protein and globulins in composite flours, dough rheology, chemical bonding, microstructure (Lorimer et al), 213
- Lentil, breakage susceptibility (Tang et al), 647
- Lipidic responses, in rats fed barley and oat meals and their fractions (Ranhotra et al), 548
- Lipids
  - complexing, effect on enzyme-resistant starch (Czuchajowska et al), 537
  - steamed bread role (Pomeranz et al), 353
- Lipoxygenase isozymes, purification and enzymatic properties (Shiiba et al), 115
- Maize (see also Corn)
  - alcohol-soluble proteins (Paulis et al), 361
  - $\alpha$ -amylases from, germinating (Warner et al), 383
  - changes in dry matter and protein fractions during kernel development (Ortega et al), 482
  - continuous countercurrent steeping of (Steinke et al), 12
  - kernel endosperm;  $\gamma$ -zein in (Paiva et al), 276
  - proximate analysis, physical properties, vitreousness, density (Mestres et al), 51
  - quality factors; relations (Dorsey-Redding et al), 602
  - static batchwise steeping of (Steinke and Johnson), 7
- Method
  - low temperature scanning electron microscopy (Berglund et al), 105
  - to measure wheat hardness, in micro hammer-cutter mill (Wu and Nelsen), 343
  - nuclear magnetic resonance,  $^{17}\text{O}$ ,  $^{13}\text{C}$ , and  $^{23}\text{Na}$  during starch gelatinization (Chinachoti et al), 238
  - $^{17}\text{O}$  NMR of water in starch (Chinachoti et al), 245
- Millet
  - flour; effect of processing on flavonoids in (Akingbala), 180
  - pearl, semiwet milling to reduce goitrogenicity (Klopfenstein et al), 177
- Milling
  - ball-milled wheat starch, moisture adsorption characteristics (Mok and Dick), 405
  - of brown rice; nutrient content and retention during (Villareal et al), 437
  - characterization of flour refinement by image analysis, flour ash, grade color,

- and tristimulus color measurements (Symons and Dexter), 454
- dry-milling correlation with chemical and physical analyses of whole corn kernel (Mestres et al), 51
- properties of red spring wheat fractions removed for specific gravity table (Tkachuk et al), 390
- semiwet process to reduce goitrogenicity of pearl millet (Klopfenstein et al), 177
- wheat class; response of starch to ball milling (Mok and Dick), 409
- Moisture, determination of breakage susceptibility of lentils (Tang et al), 647
- Mold
  - in contaminated barley; chemical and spectral quantification of (Roberts et al), 272
  - ergosterol and colony-forming units (Schnürer), 434
- Molecular species, of glycerolipids from rye by RP-HPLC (Mano et al), 280
- Mycotoxins, reduction in *Fusarium*-infected wheat with specific gravity table (Tkachuk et al), 428
- Nixtamalization, corn flours, characterization (Gomez et al), 578
- Oat bran, small-scale milling and enrichment in  $\beta$ -glucan (Wood et al), 48
- Oats
  - avenaluminic acids, from groats and hull phenolics (Collins et al), 184
  - $\beta$ -glucan content in milling fractions (Wood et al), 48
  - $\beta$ -glucan structure, comparison with other cereals (Wood et al), 31
  - fiber; insoluble, metabolic effects on lean men with type II diabetes (Anderson et al), 291
  - lipidemic responses, in rat study (Ranhotra et al), 548
  - rolled, starch and  $\beta$ -glucan in, microwave and conventional cooking compared (Yiu et al), 372
- Oscillatory rheometry, of starch-water system (Hansen et al), 347
- Oxidative gelation, rye water-soluble pentosans (Vinkx et al), 617
- Pasta
  - cooking; starch gelatinization in (Riva et al), 622
  - spaghetti-quality of durum wheat gravity table fractions (Dexter et al), 401
- Pentosans
  - effect on dough and gluten (Michniewicz et al), 252
  - effect of gamma radiation on (Grant and D'Appolonia), 651
  - physical properties of, from wheat (Izydorczyk et al), 145
  - physicochemical and functional properties of rye and wheat in breadmaking (Delcour et al), 72
  - from rye, oxidative gelation (Vinkx et al), 617
  - in soft white wheat, negative influence on baking quality (cake volume, cookie diameter) (Kaldy et al), 508
  - water-soluble, structure, composition (Izydorczyk et al), 139
- Phenolic acids, NMR, MS, structure from oats (Collins et al), 184
- Physicochemical properties, of alkaline-extruded amaranth (Vargas-López et al), 610
- Phytate, in sorghum flour, effects on iron and zinc in weanling rats (Ali and Harland), 234
- Polydextrose, use in cake (Pong et al), 552
- Polysaccharides, effects of gamma radiation on (Grant and D'Appolonia), 651
- Popcorn, effect of kernel size and genotype on popping volume and number of unpopped kernels (Song et al), 464
- Protease, in corn grits steeping, treatment of (Eckhoff and Tso), 319
- Protein
  - analysis of prolamins; determination of putative rye proteins (Lookhart et al), 312
  - content and strength of steamed bread (Addo et al), 39
  - from corn and wheat stillages (Lee et al), 659
  - digestibility: in buckwheat, endogenous factors affecting (Ikeda et al), 424; in stored cowpeas (Tuan and Phillips), 413
  - effect of various solvents and environment on identification of rice varieties by RP-HPLC (Lookhart et al), 396
  - extraction from brown rice, phytate interference (Juliano et al), 317
  - fractions in common and quality protein maize (Ortega et al), 482
  - Osborne fractions and sugar levels (Figueroa and Khan), 284
  - pollen, as taxonomic characteristics of rice cultivars (Chen), 91
  - rate of solubility of flours varying in baking quality (He et al), 641
  - rice, on PAGE and RP-HPLC (Huebner et al), 583
  - separation of wheat distillers' grains into (Sosulski et al), 562
  - solubility fractions, electrophoresis of (MacRitchie et al), 122
  - sulfur-rich, of wheats (Kobrehel et al), 1
  - tomato seed meal for fortification of balady bread (Yaseen et al), 159
  - wheat storage, immunocytochemistry of, effect of particle size of protein A-gold on labeling intensity (Krishnan et al), 108
  - zein and alcohol-soluble glutelins (Paulis et al), 361
- Rheological properties, differences between flours of different quality during baking (He and Hosney), 526
- Rheology
  - bean grade effect on navy bean protein, effect on rheological parameters and microstructure of wheat (Lorimer et al), 636
  - frozen dough; frozen storage and freeze-thaw cycle effect on (Inoue and Bushuk), 627
  - gel, formed by complexing cornstarch with poly(ethylene-co-acrylic acid) (Fanta and Christianson), 300
  - rice, gelatinization temperature, peak temperature, and peak viscosity of stored rice (Dhaliwal et al), 18
- Rice
  - acetic acid-soluble proteins, PAGE and RP-HPLC (Huebner et al), 583
  - $\alpha$ -amylase inhibitors (Feng et al), 516
  - amylose concentration as predicted by two models using spectrophotometric assay (Landers et al), 545
  - amylose-lipid complexes in milled and milled flour (Marshall and Normand), 606
  - brown: aqueous ethanol extraction for stabilization (Champagne et al), 267; nutrient content and retention during milling (Villareal et al), 437; phytate interference with protein extraction from (Juliano et al), 317
  - chalkiness; factors (Raju and Srinivas), 210
  - endosperm mutants; gene expression in japonica and indica (Kaushik and Khush), 487
  - high and low protein, comparative biochemistry of (Nanda et al), 351
  - pollen protein of cultivars, discrimination by IEF and HPLC (Chen), 91
  - proteins extracted by various solvents (Lookhart et al), 396
  - stored, enzymatic activities and rheological properties of (Dhaliwal et al), 18
- RP-HPLC
  - of amino acids; quantitative determination by (Collar et al), 66
  - analysis of molecular species of glycerolipids from rye (Mano et al), 280
  - changes in chromatographic patterns of rice proteins extracted from five varieties with different solvents and from different locations (Lookhart et al), 396
  - discrimination of sister-line IR rices by protein patterns (Huebner et al), 583
  - separation of wheat proteinaceous inhibitors of insect and mammalian  $\alpha$ -amylases (Feng et al), 95
  - of zein and alcohol-soluble high-lysine corn proteins (Paulis et al), 361
- Rye
  - analysis of molecular species of glycerolipids by RP-HPLC (Mano et al), 280
  - pentosans; physicochemical and functional properties in breadmaking (Delcour et al), 72
  - starch; properties of (Gudmundsson and Eliasson), 172
- Samah, characterization and use in flat bread production (Amr), 155
- Scanning electron microscopy
  - of caryopses of perennial grains (Irving et al), 376
  - for examination of ultrastructure (Berghlund et al), 105
  - of navy bean protein wheat composite and globulin-starch-wheat flour doughs (Lorimer et al), 213
- SDS-PAGE
  - analysis: of fractions isolated by SE-HPLC (Batey et al), 207; of putative rye proteins collected from HPLC analysis, comparison with secalins (Lookhart et al), 312; of rice  $\alpha$ -amylase inhibitors (Feng et al), 516
  - of HMW subunits of glutenin (Curioni et al), 200
  - separation of LMW glutenin subunits by two-step electrophoresis (Gupta et al), 328
  - study of HMW proteins of acetic acid-insoluble residue of wheat flours (Sievrt et al), 512
- SE-HPLC, improved separation of flour proteins (Batey et al), 207
- Shortening, effect on bread firming (Martin et al), 498
- Sorghum
  - flour; fiber and phytate effects on iron and zinc in rats (Ali and Harland), 234
  - grains; properties of (Almeida-Dominguez et al), 25
  - Sorghum-peanut composite flour; functional properties of (Singh and Singh), 460
- Soy protein isolate, iron bioavailability in rats fed (Zhang et al), 194
- Soybean hull, iron-reducing capability of (Laszlo), 21
- Staling
  - effect of date paste on firming of bread (Yousif et al), 43
  - mechanism of bread firming, starch swelling effect (Martin et al), 498
  - role of starch hydrolyzing enzyme on bread (Martin and Hosney), 503
- Starch
  - analysis in oat milling fractions (Wood et al), 48
  - chemically modified, dielectric and thermal transition properties of (Miller et al), 441
  - digestibility in stored cowpeas (Tuan and Phillips), 413
  - enzyme-resistant: from barley (Szczo drak and Pomeranz), 589; complexing lipid effects (Czuchajowska et al), 537; X-ray diffraction of (Sievrt et al), 86
  - extruded, in bread from cassava (Defloor et al), 323
  - gelatinization molecular dynamics in solutes, by  $^{17}\text{O}$ ,  $^{13}\text{C}$ ,  $^{23}\text{Na}$  NMR (Chinachoti et al), 238
  - gelatinization temperature as related to water mobility by  $^{17}\text{O}$  NMR, in solutes (Chinachoti et al), 245

- from ground, pearled wheat (Zhuge et al), 336, 558
- nixtamalized corn flours, characterization (Gomez et al), 578
- preparation of starch encapsulated herbicides by twin-screw extrusion (Carr et al), 262
- resistant, effect on intestinal responses (Ranhotra et al), 130
- in rolled oats, microwave and conventional cooking effects compared (Yiu et al), 372
- rye, thermal and viscous properties of (Gudmundsson and Eliasson), 172
- wheat; granule damage by ball milling, moisture adsorption characteristics (Mok and Dick), 405
- wheat class; influence of granule damage by ball milling on wheat hardness damage (Mok and Dick), 409
- yield of, corn wet milling, steeping with SO<sub>2</sub> gas and lactic acid (Eckhoff and Tso), 248
- Starch-water system; concentration and temperature (Hansen et al), 347
- Steeping
  - added protease during, for corn grits dried at different temperatures (Eckhoff and Tso), 319
  - continuous countercurrent steeping of maize (Steinke et al), 12
  - with SO<sub>2</sub> gas and lactic acid in corn wet milling (Eckhoff and Tso), 248
  - static batchwise, of maize (Steinke and Johnson), 7
- Storage of rice, effect on enzymatic activities and rheological properties (Dhaliwal et al), 18
- Sugar, relationship with bromate and loaf volume (Figueroa and Khan), 284
- Sugar substitutes, alternative sweetener systems in cake (Pong et al), 552
- Sulfur dioxide, gaseous treatment of, steeping in corn wet milling (Eckhoff and Tso), 248
- Thermal transitions, exotherms produced by recrystallization of amylose-lipid complexes in milled rice and milled rice flour (Marshall and Normand), 606
- Tortillas
  - corn, effect of lime treatment on calcium availability in diets of, rat growth and balance studies (Serna-Saldivar et al), 565
  - sorghum and corn, characteristics (Almeida-Dominguez et al), 25
- Trace elements, effect of wheat, oat, corn bran on metabolism in rats (Shah et al), 190
- Trichotheceae, reduction in *Fusarium*-infected wheat with specific gravity table (Tkachuk et al), 428
- Ultrastructure, of wheat gluten related to sample preparation (Freeman et al), 492
- Viscosity
  - acid-extract, relation to total and acid-soluble  $\beta$ -glucan content of hullless barley (Bhatty et al), 221
  - paste, influence of poly(ethylene-co-acrylic acid) on (Fanta and Christianson), 300
- Wet milling
  - of corn: steeping with SO<sub>2</sub> gas and lactic acid (Eckhoff and Tso), 248; with enzymes (Ling and Jackson), 205
  - of steeped corn grits, drying temperature and added commercial protease effect (Eckhoff and Tso), 319
  - of wheat distillers' grains into dietary fiber and protein fractions (Sosulski et al), 562
- Wheat
  - classes in relation to sugar and bromate requirement (Figueroa and Khan), 284
  - classification, using three-dimensional image analysis (Thomson and Pomeranz), 357
  - comparison of structure and composition of water-soluble pentosans (Izydorzyc et al), 139
  - cultivar and environment effect on quality (Lukow and McVetty), 597
  - durum, fractionation with specific gravity table (Dexter et al), 401
  - endosperm protein bodies; immunocytochemical localization of (Bechtel et al), 573
  - gamma radiation, effects on water-soluble nonstarch polysaccharides (Grant and D'Appolonia), 651
  - germ; purification and characterization of lipoxygenase isozymes from (Shiiba et al), 115
  - gluten ultrastructure as influenced by sample preparation (Freeman et al), 492
  - ground, pearled, isolation of gluten and starch from, comparison to flour isolation (Zhuge et al), 336, 558
  - hard red winter, breeding for wheat quality enhancement (Primard et al), 305
  - hardness measured by grinding time and speed reduction in micro hammer-cutter mill (Wu and Nelsen), 343
  - hardness prediction, by near-infrared transmittance (Williams), 112
  - infected with *Fusarium* head blight, removal of tombstone kernels and trichotheceae with specific gravity table (Tkachuk et al), 428
  - insect detection in radiographs (Keagy and Schatzki), 339
  - physical properties of water-soluble pentosans from (Izydorzyc et al), 145
  - proteinaceous inhibitors of insect and mammalian  $\alpha$ -amylases, RP-HPLC separation of (Feng et al), 95
  - proteins in relation to quality (MacRitchie et al), 122
  - quality affected by frost and immaturity (Preston et al), 133
  - quality attribute association of soft wheat cultivars (Gaines), 56
  - removal of sprouted red spring wheat kernels with specific gravity table (Tkachuk et al), 390
  - starch; moisture adsorption characteristics of ball-mill damaged granules (Mok and Dick), 405
  - starch damage by ball milling with respect to kernel hardness (Mok and Dick), 409
  - stillage; soluble and insoluble fraction yield and composition from (Lee et al), 659
  - sulfur-rich proteins of durum and bread wheats (Kobrehel et al), 1
  - viability loss during hot-air drying (Giner et al), 77
- Wheat bran, fungal contamination (Schnürer), 434
- Wheat distillers' grain, wet milling and separation of, into dietary fiber and protein fractions (Sosulski et al), 562
- X-ray diffraction, of enzyme-resistant starch (Sievert et al), 86
- $\gamma$ -Zein, in maize kernel endosperm (Paiva et al), 276