

# Index to Volume 69

## Author Index

- Abe, J. *See* A. Suzuki, 309  
Adalsteins, A. E. *See* W. E. Werner, 535  
Addo, K., and Y. Pomeranz. Effects of lipids and emulsifiers on alveograph characteristics, 6  
Aguilar, F. *See* J.-L. Jane, 96  
Aibara, S., K. Hisaki, and K. Watanabe. COMMUNICATION TO THE EDITOR: Effects of high-voltage electric field treatment on wheat dough and breadmaking properties, 465  
Åkesson, G. *See* B. Ekstrand, 379  
Aktan, B., and K. Khan. Effect of high-temperature drying of pasta on quality parameters and on solubility, gel electrophoresis, and reversed-phase high-performance liquid chromatography of protein components, 288  
Allen, H. M. *See* J. R. Oliver, 546  
Al-Ruqaie, I., and K. Lorenz. Alkylresorcinols in extruded cereal brans, 472  
Andrews, S. B., T. J. Siebenmorgen, and A. Mauromoustakos. Evaluation of the McGill No. 2 rice miller, 35  
Asami, K. *See* M. Ito, 325  
Autio, K., and E. Sinda. Frozen doughs: Rheological changes and yeast viability, 409  
———. *See* Y. Mälkki, 647  
Autran, J.-C. *See* P. Scheromm, 664
- Bailey, T. B. *See* S. R. Fox, 191  
Bakker-Arkema, F. W. *See* R. G. Moreira, 390  
Batey, I. L. *See* R. B. Gupta, 125  
Bekes, F., and P. W. Gras. COMMUNICATION TO THE EDITOR: Demonstration of the 2-gram mixograph as a research tool, 229  
BeMiller, J. N. *See* J. E. Fannon, 284, 456  
Bergoin, A. *See* P. Scheromm, 664  
Bern, C. J. *See* M. O. Raeker, 66  
Bertrand, D., C. Le Guernevé, D. Marion, M. F. Devaux, and P. Robert. Description of the textural appearance of bread crumb by video image analysis, 257  
Betschart, A. A. *See* T. S. Kahlon, 485  
———. *See* B. E. Knuckles, 198  
Bhatty, R. S.  $\beta$ -Glucan content and viscosities of barleys and their roller-milled flour and bran products, 469  
Biemer, P. *See* F. R. Del Valle, 156  
Biliaderis, C. G., M. S. Izydorczyk, O. M. Lukow, and W. Bushuk. NOTE: Pentosans in flours of 1B/1R translocation wheats, 226  
Blakeney, A. B. *See* J. R. Oliver, 546  
Bock, M. A. *See* F. R. Del Valle, 156  
Bourges, H. *See* F. R. Del Valle, 156  
Bouzaher, A. *See* A. J. Peplinski, 397  
Branlard, G., D. Khelifi, and G. Lookhart. NOTE: Identification of some wheat proteins separated by a two-step acid polyacrylamide gel electrophoresis and sodium dodecyl sulfate-polyacrylamide gel electrophoresis technique, 677  
Bruinsma, B. L. *See* K. F. Finney, 347  
Brümmer, J.-M. *See* B. Fretzdorff, 266  
Bushuk, W. *See* C. G. Biliaderis, 226  
———. *See* L. Gao, 452  
———. *See* Y. Inoue, 423  
———. *See* A. Kawka, 92  
———. *See* M. Kazemie, 103, 105
- Callaghan, P. T. *See* S. L. Umbach, 637  
Camire, M. E. *See* S. I. Flint, 444  
Carr, M. E., S. Kim, K. J. Yoon, and K. D. Stanley. Graft polymerization of cationic methacrylate, acrylamide, and acrylonitrile monomers onto starch by reactive extrusion, 70  
Case, S. E., D. D. Hamann, and S. J. Schwartz. Effect of starch gelatinization on physical properties of extruded wheat- and corn-based products, 401  
Castro, M. *See* B. R. Hamaker, 461  
Chambers, E., IV. *See* C.-Y. Chang, 556  
Champagne, E. T., and R. J. Kron, Sr. Stabilizing brown rice to lipolytic hydrolysis by ethanol vapors, 152  
Chandrashekar, A. *See* R. Kavitha, 440  
———. *See* D. L. Rom, 178  
Chang, C.-Y., and E. Chambers IV. Flavor characteristics of breads made from hard red winter wheat and hard white winter wheat, 556  
Chauhan, G. S., N. A. M. Eskin, and R. Tkachuk. Nutrients and anti-nutrients in quinoa seed, 85  
Chedid, L. L., and J. L. Kokini. Influence of protein addition on rheological properties of amylose- and amylopectin-based starches in excess water, 551
- Chen, J., K. Khan, D. R. Shelton, and B. L. D'Appolonia. Isolation and fractionation of carbohydrate-containing proteins from wheat gluten, 475  
———, D. R. Shelton, B. L. D'Appolonia, and K. Khan. Structural characterization of the carbohydrate portion of a glycopeptide from wheat gluten, 481  
———. *See* J.-L. Jane, 528  
Chen, J.-F. *See* J.-L. Jane, 60  
Chinachoti, P. *See* A. Nussinovitch, 678  
———. *See* P. A. Rao, 613  
Chiu, M. M. *See* T. S. Kahlon, 485  
———. *See* B. E. Knuckles, 198  
Chow, F. I. *See* T. S. Kahlon, 485  
Chung, O. K. *See* A. Xu, 495, 502  
Clark, D. *See* B. R. Hamaker, 461  
Clarke, J. M. *See* T. N. McCaig, 671  
Clements, R. L. Effects of metal-complexing agents on water binding by gluten, 315  
Cox, T. S. *See* H. Dong, 132  
Curran, S. P. *See* K. Shelke, 141, 145  
Czuchajowska, Z., B. Paszczynska, and Y. Pomeranz. Functional properties of psyllium in wheat-based products, 516  
———, J. Szczodrak, and Y. Pomeranz. Characterization and estimation of barley polysaccharides by near-infrared spectroscopy. I. Barleys, starches, and  $\beta$ -D-glucans, 413  
———. *See* J. Szczodrak, 419
- D'Appolonia, B. L. *See* J. Chen, 475, 481  
———. *See* D. P. Puhr, 582  
Davis, E. A. *See* L. L. P. Lambert, 303  
———. *See* S. L. Umbach, 637  
Delost-Lewis, K., K. Lorenz, and R. Tribelhorn. Puffing quality of experimental varieties of proso millets (*Panicum miliaceum*), 359  
Del Valle, F. R., M. Escobedo, A. Sanchez-Marroquin, H. Bourges, M. A. Bock, and P. Biemer. Nitrogen balance in infants fed formulas containing amaranth or a soy-oats formula, 156  
Delwiche, S. R., R. E. Pitt, and K. H. Norris. NOTE: Sensitivity of near-infrared absorption to moisture content versus water activity in starch and cellulose, 107  
DePauw, R. M. *See* T. N. McCaig, 671  
De Stefanis, V. A. NOTE: Analysis of potassium bromate in flour, dough, and bread, 683  
Devaux, M. F. *See* D. Bertrand, 257  
Dexter, J. E. *See* R. R. Matsuo, 27  
———. *See* S. J. Symons, 137  
Dintzis, F. R., J. Lehrfeld, T. C. Nelsen, and P. L. Finney. Phytate content of soft wheat brans as related to kernel size, cultivar, location, and milling and flour quality parameters, 577  
Donelson, J. R. *See* G. S. Gaines, 120  
Dong, H., R. G. Sears, T. S. Cox, R. C. Hosney, G. L. Lookhart, and M. D. Shogren. Relationships between protein composition and mixograph and loaf characteristics in wheat, 132  
Dorsey-Redding, C. *See* S. R. Fox, 191  
Dronzek, B. L. *See* N. D. G. White, 182  
Duarte, A. M. A. *See* F. C. Strong III, 659
- Eckhoff, S. R. *See* A. H. Mistry, 82, 202, 296, 433  
———. *See* R. Ruan, 600  
Edwards, N. M. *See* R. R. Matsuo, 27  
Ekstrand, B., I. Gangby, and G. Åkesson. Lipase activity in oats—distribution, pH dependence, and heat inactivation, 379  
Eliasson, A.-C. *See* L. Lindahl, 30, 542  
———. *See* K. Mani, 222  
Escobedo, M. *See* F. R. Del Valle, 156  
Eskin, N. A. M. *See* G. S. Chauhan, 85
- Fannon, J. E., and J. N. BeMiller. Structure of corn starch paste and granule remnants revealed by low-temperature scanning electron microscopy after cryopreparation, 456  
———, R. J. Hauber, and J. N. BeMiller. Surface pores of starch granules, 284  
Faubion, J. M. *See* K. Shelke, 141, 145  
Finney, K. F., B. L. Bruinsma, and O. Natsuaki. NOTE: Copper (II) vs. zinc inorganic salts as oxidizers in breadmaking, 347  
Finney, P. L. *See* F. R. Dintzis, 577  
———. *See* C. S. Gaines, 115, 120  
Flint, S. I., and M. E. Camire. Recovery of lignin during nonstarch polysaccharide analysis, 444  
Fox, S. R., L. A. Johnson, C. R. Hurburgh, Jr., C. Dorsey-Redding,

- and T. B. Bailey. Relations of grain proximate composition and physical properties to wet-milling characteristics of maize, 191
- Fretzdorff, B., and J.-M. Brümmer. Reduction of phytic acid during breadmaking of whole-meal breads, 266
- Frey, K. J. See H. S. Lim, 262
- Frye, A. M., and C. S. Setser. Optimizing texture of reduced-calorie yellow layer cakes, 338
- Gahlawat, P., and S. Sehgal. NOTE: Phytic acid, saponins, and polyphenols in weaning foods prepared from oven-heated green gram and cereals, 463
- Gaines, C. S., A. Kassuba, and P. L. Finney. Instrumental measurement of cookie hardness. I. Assessment of methods, 115
- \_\_\_\_\_, \_\_\_\_\_, and J. R. Donelson. Instrumental measurement of cookie hardness. II. Application to product quality variables, 120
- \_\_\_\_\_. See F. R. Huebner, 148
- Gangby, I. See B. Ekstrand, 379
- Gao, L., P. K. W. Ng, and W. Bushuk. Structure of glutenin based on farinograph and electrophoretic results, 452
- Garcia, H. H. See B. R. Hamaker, 461
- Gelroth, J. A. See G. S. Ranhotra, 75, 623
- Gilman, R. See B. R. Hamaker, 461
- Glaser, B. K. See G. S. Ranhotra, 75, 623
- Glatz, B. A. See M. O. Raeker, 66
- Gomez, M. H., J. K. Lee, C. M. McDonough, R. D. Waniska, and L. W. Rooney. Corn starch changes during tortilla and tortilla chip processing, 275
- Gonzales, A. E. See B. R. Hamaker, 461
- Gordon, J. See L. L. P. Lambert, 303
- \_\_\_\_\_. See S. L. Umbach, 637
- Gras, P. W., and L. O'Brien. Application of a 2-gram mixograph to early generation selection for dough strength, 254
- \_\_\_\_\_. See F. Bekes, 229
- Greenblatt, G. A. See C. F. Morris, 467
- Greene, L. W. See S. O. Serna-Saldivar, 78
- Grove, M. J. See C. A. Knutson, 436
- Gupta, P. P. See N. Singh, 55
- Gupta, R. B., I. L. Batey, and F. MacRitchie. Relationships between protein composition and functional properties of wheat flours, 125
- Guritno, N. See R. K. Newman, 240
- Haarasilta, S. See A. Törrönen, 355
- Hamaker, B. R., C. Valles, R. Gilman, R. M. Hardmeier, D. Clark, H. H. Garcia, A. E. Gonzales, I. Kohlsted, M. Castro, R. Valdivia, T. Rodriguez, and M. Lescano. NOTE: Amino acid and fatty acid profiles of the Inca peanut (*Plukenetia volubilis*), 461
- Hamann, D. D. See S. E. Case, 401
- Hamer, R. J. See H. J. Van Lonkhuijsen, 174
- Hanai, T. See M. Ito, 325
- Hänninen, O. See Y. Mälkki, 647
- Hardmeier, R. M. See B. R. Hamaker, 461
- Haridas Rao, P. See R. Sai Manohar, 619
- Hartunian Sowa, S. M., and P. J. White. Characterization of starch isolated from oat groats with different amounts of lipid, 521
- Hatcher, D. W. See B. A. Marchylo, 371
- Hauber, R. J. See J. E. Fannon, 284
- He, H., and R. C. Hosney. Effect of the quantity of wheat flour protein on bread loaf volume, 17
- \_\_\_\_\_, and \_\_\_\_\_. Factors controlling gas retention in nonheated doughs, 1
- \_\_\_\_\_, R. R. Roach, and R. C. Hosney. Effect of nonchaotropic salts on flour breadmaking properties, 366
- Hill, A. S. See J. H. Skerritt, 110
- Hisaki, K. See S. Aibara, 465
- Hizukuri, S. See A. Suzuki, 309
- Hofer, P. J. See R. K. Newman, 240
- Hojilla-Evangelista, M. P., L. A. Johnson, and D. J. Myers. Sequential extraction processing of flaked whole corn: Alternative corn fractionation technology for ethanol production, 643
- Hosney, R. C. See H. Dong, 132
- \_\_\_\_\_. See H. He, 1, 17, 366
- \_\_\_\_\_. See R. B. Malouf, 164, 169
- \_\_\_\_\_. See R. R. Roach, 574
- \_\_\_\_\_. See K. Shelke, 141, 145
- Hosomi, K., K. Nishio, and H. Matsumoto. Studies on frozen dough baking. I. Effects of egg yolk and sugar ester, 89
- Hruschka, W. R. See D. C. Slaughter, 428
- Hsieh, H. M., Y. Pomeranz, and B. J. Swanson. Composition, cooking time, and maturation of azuki (*Vigna angularis*) and common beans (*Phaseolus vulgaris*), 244
- Huang, M. L. See G. L. Rubenthaler, 334
- Huckle, L. See K. Khan, 270, 686
- Huebner, F. R., and C. S. Gaines. Relation between wheat kernel hardness, environment, and gliadin composition, 148
- Hurburgh, C. R., Jr. See S. R. Fox, 191
- Inagaki, T., and P. A. Seib. Firming of bread crumb with cross-linked waxy barley starch substituted for wheat starch, 321
- Inoue, Y., and W. Bushuk. Studies on frozen dough. II. Flour quality requirements for bread production from frozen dough, 423
- Ito, M., S. Yoshikawa, K. Asami, and T. Hanai. Dielectric monitoring of gas production in fermenting bread dough, 325
- Izydorczyk, M. S. See C. G. Biliaderis, 226
- Jane, J.-L., and J.-F. Chen. Effect of amylose molecular size and amylopectin branch chain length on paste properties of starch, 60
- \_\_\_\_\_, \_\_\_\_\_, L. Shen, and F. Aguilar. Characterization of pejobaye starch, 96
- \_\_\_\_\_, \_\_\_\_\_, L. Shen, J. Chen, S. Lim, T. Kasemsuwan, and W. K. Nip. Physical and chemical studies of taro starches and flours, 528
- \_\_\_\_\_, \_\_\_\_\_, L. Wang, and C. C. Maningat. Preparation and properties of small-particle corn starch, 280
- \_\_\_\_\_, \_\_\_\_\_, A. Xu, M. Radosavljevic, and P. A. Seib. Location of amylose in normal starch granules. I. Susceptibility of amylose and amylopectin to cross-linking reagents, 405
- Jayas, D. S. See N. D. G. White, 182
- Johnson, L. A. See S. R. Fox, 191
- \_\_\_\_\_. See M. P. Hojilla-Evangelista, 643
- \_\_\_\_\_. See M. O. Raeker, 66
- \_\_\_\_\_. See C. Wang, 43, 47
- Jones, B. L. See K. Khan, 270
- Kahlon, T. S., R. M. Saunders, R. N. Sayre, F. I. Chow, M. M. Chiu, and A. A. Betschart. Cholesterol-lowering effects of rice bran and rice bran oil fractions in hypercholesterolemic hamsters, 485
- Kaneyama, M. See A. Suzuki, 309
- Kasarda, D. D. See E. J.-L. Lew, 508
- \_\_\_\_\_. See W. E. Werner, 535
- Kasemsuwan, T. See J.-L. Jane, 528
- Kassuba, A. See C. S. Gaines, 115, 120
- Kavitha, R., and A. Chandrashekar. Content and composition of non-starchy polysaccharides in endosperms of sorghums varying in hardness, 440
- Kawakishi, S. See S. Nishibori, 160
- Kawka, A., P. K. W. Ng, and W. Bushuk. Equivalence of high molecular weight glutenin subunits prepared by reversed-phase high-performance liquid chromatography and sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 92
- Kazemie, M., and W. Bushuk. NOTE: Presence of K proteins in developing wheat grain, 103
- \_\_\_\_\_, and \_\_\_\_\_. NOTE: Use of lithium chloride for the extraction of flour proteins, 105
- Khan, K., and L. Huckle. COMMUNICATION TO THE EDITOR: Use of multistacking gels in sodium dodecyl sulfate-polyacrylamide gel electrophoresis to reveal polydispersity, aggregation, and disaggregation of the glutenin protein fraction, 686
- \_\_\_\_\_, \_\_\_\_\_, and B. L. Jones. Inheritance of gluten protein components of a high-protein hard red spring wheat line derived from *Triticum turgidum* var. *dicoccoides*—semipreparative RP-HPLC, gel electrophoresis, and amino acid composition studies, 270
- \_\_\_\_\_. See B. Aktan, 288
- \_\_\_\_\_. See J. Chen, 475, 481
- \_\_\_\_\_. See E. M. Magnus, 607
- Khelifi, D. See G. Branlard, 677
- Kim, C. S., and C. E. Walker. Effects of sugars and emulsifiers on starch gelatinization evaluated by differential scanning calorimetry, 212
- \_\_\_\_\_, and \_\_\_\_\_. Interactions between starches, sugars, and emulsifiers in high-ratio cake model systems, 206
- Kim, S. See M. E. Carr, 70
- Kim, S. S., and C. S. Setser. Wheat starch gelatinization in the presence of polydextrose or hydrolyzed barley  $\beta$ -glucans, 447
- Kirkland, J. J. See B. A. Marchylo, 371
- Kirleis, A. W. See D. L. Rom, 178
- Klopfenstein, C. F. See R. K. Newman, 240
- Knuckles, B. E., M. M. Chiu, and A. A. Betschart.  $\beta$ -Glucan-enriched fractions from laboratory-scale dry milling and sieving of barley and oats, 198
- Knutson, C. A., and M. J. Grove. Variability of  $\alpha$ -amylase synthesis in germinating maize, 436
- Kohlsted, I. See B. R. Hamaker, 461
- Kokini, J. L. See L. L. Chedid, 551
- \_\_\_\_\_. See H. Madeka, 489
- Kron, R. J., Sr. See E. T. Champagne, 152
- Kruger, J. E. See B. A. Marchylo, 371
- Kuzmicky, D. D. See E. J.-L. Lew, 508
- Lai, C. S. See R. R. Roach, 574
- Lambert, L. L. P., J. Gordon, and E. A. Davis. Water loss and structure development in model cake systems heated by microwave and convection methods, 303
- Lang, C. E., E. K. Neises, and C. E. Walker. Effects of additives on flour-water dough mixograms, 587

- Lanning, S. P., C. F. McGuire, and L. E. Talbert. NOTE: Parental blends as predictors of quality in spring wheat hybrids, 349
- Lawton, J. W. Viscoelasticity of zein-starch doughs, 351
- Lee, J. K. *See* M. H. Gomez, 275
- Le Guernevé, C. *See* D. Bertrand, 257
- Lehrfeld, J. *See* F. R. Dintzis, 577
- Leisola, M. *See* A. Törrönen, 355
- Lelievre, J. *See* H. Liu, 597
- Lescano, M. *See* B. R. Hamaker, 461
- Lew, E. J.-L., D. D. Kuzmicky, and D. D. Kasarda. Characterization of low molecular weight glutenin subunits by reversed-phase high-performance liquid chromatography, sodium dodecyl sulfate-polyacrylamide gel electrophoresis, and N-terminal amino acid sequencing, 508
- Li, A., and C. E. Walker. NOTE: Dough temperature changes during mixing in a mixograph, 681
- Liang, Y. T. *See* W. J. Lim, 233, 237
- Lim, H., C. S. Setser, and J. V. Paukstelis. Comparisons of water mobility using <sup>17</sup>O nuclear magnetic resonance for four sugars: Glucose, maltose, maltotriose, and sucrose, 387
- \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, and D. Sobczynska. <sup>17</sup>O nuclear magnetic resonance studies on wheat starch-sucrose-water interactions with increasing temperature, 382
- Lim, H. S., P. J. White, and K. J. Frey. Genotypic effects on  $\beta$ -glucan content of oat lines grown in two consecutive years, 262
- Lim, S. *See* J.-L. Jane, 528
- Lim, W. J., Y. T. Liang, and P. A. Seib. Cationic oat starch: Preparation and effect on paper strength, 237
- \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, and C. S. Rao. Isolation of oat starch from oat flour, 233
- Lin, W. D. A. *See* R. B. Malouf, 169
- Lindahl, L., and A.-C. Eliasson. A comparison of some rheological properties of durum and wheat flour doughs, 30
- \_\_\_\_\_, and \_\_\_\_\_. Influence of added enzymes on the rheological properties of a wheat flour dough, 542
- \_\_\_\_\_. *See* K. Mani, 222
- Litchfield, J. B. *See* R. Ruan, 13, 600
- Liu, H., and J. Lelievre. Differential scanning calorimetric and rheological study of the gelatinization of starch granules embedded in a gel matrix, 597
- Lookhart, G. *See* G. Branlard, 677
- \_\_\_\_\_. *See* H. Dong, 132
- Lorenz, K. *See* I. Al-Ruqaie, 472
- \_\_\_\_\_. *See* K. Delost-Lewis, 359
- Lukow, O. M. *See* C. G. Biliaderis, 226
- \_\_\_\_\_. *See* K. R. Preston, 560
- MacRitchie, F. *See* R. B. Gupta, 125
- Madeka, H., and J. L. Kokini. Effect of addition of zein and gliadin on the rheological properties of amylopectin starch with low-to-intermediate moisture, 489
- Magnus, E. M., and K. Khan. Hydrophobic properties of reduced and alkylated acetic acid-soluble glutenins—Fractionation by hydrophobic interaction chromatography, 607
- Malcolmson, L. J. *See* R. R. Matsuo, 27
- Malkawi, H. I. *See* C. F. Morris, 467
- Mälkki, Y., K. Autio, O. Hänninen, O. Myllymäki, K. Pelkonen, T. Suortti, and R. Törrönen. Oat bran concentrates: Physical properties of  $\beta$ -glucan and hypocholesterolemic effects in rats, 647
- Malouf, R. B., and R. C. Hosoney. Wheat hardness. I. A method to measure endosperm tensile strength using tablets made from wheat flour, 164
- \_\_\_\_\_, W. D. A. Lin, and R. C. Hosoney. Wheat hardness. II. Effect of starch granule protein on endosperm tensile strength, 169
- Mani, K., A.-C. Eliasson, L. Lindahl, and C. Trägårdh. Rheological properties and breadmaking quality of wheat flour doughs made with different dough mixers, 222
- Maningat, C. C. *See* J.-L. Jane, 280
- Marchylo, B. A., D. W. Hatcher, J. E. Kruger, and J. J. Kirkland. Reversed-phase high-performance liquid chromatographic analysis of wheat proteins using a new, highly stable column, 371
- Marion, D. *See* D. Bertrand, 257
- Marshall, W. E. Effect of degree of milling of brown rice and particle size of milled rice on starch gelatinization, 632
- Martin, G. *See* P. Scheromm, 664
- Matsumoto, H. *See* K. Hosomi, 89
- Matsuo, R. R., L. J. Malcolmson, N. M. Edwards, and J. E. Dexter. A colorimetric method for estimating spaghetti cooking losses, 27
- Mauroumoustakos, A. *See* S. B. Andrews, 35
- McCaig, T. N., J. G. McLeod, J. M. Clarke, and R. M. DePauw. NOTE: Measurement of durum pigment with a near-infrared instrument operating in the visible range, 671
- McDonough, C. M. *See* M. H. Gomez, 275
- McGuire, C. F. *See* S. P. Lanning, 349
- McLeod, J. G. *See* T. N. McCaig, 671
- Meuser, F. *See* A. Vollmar, 20
- Mills, J. T. *See* N. D. G. White, 182
- Mistry, A. H., and S. R. Eckhoff. Alkali debranning of corn to obtain corn bran, 202
- \_\_\_\_\_, and \_\_\_\_\_. Characteristics of alkali-extracted starch obtained from corn flour, 296
- \_\_\_\_\_, and \_\_\_\_\_. Dry milling and physical characteristics of alkali-debranned yellow dent corn, 82
- \_\_\_\_\_, M. P. Steinberg, and S. R. Eckhoff. Fractionation of high-lysine corn to produce edible by-products, 433
- Moreira, R. G., and F. W. Bakker-Arkema. Grain dryer controls: A review, 390
- Morgan, B. *See* K. R. Preston, 560
- Morris, C. F., G. A. Greenblatt, and H. I. Malkawi. COMMUNICATION TO THE EDITOR: Enhanced electrophoretic detection and isolation of friabilin, a starch granule protein, 467
- Morrison, W. R. *See* R. F. Tester, 654
- Myers, D. J. *See* M. P. Hojilla-Evangelista, 643
- Myllymäki, O. *See* Y. Mälkki, 647
- Natsuaki, O. *See* K. F. Finney, 347
- Neises, E. K. *See* C. E. Lang, 587
- Nelsen, T. C. *See* F. R. Dintzis, 577
- Newman, C. W. *See* R. K. Newman, 240
- Newman, R. K., C. F. Klopfenstein, C. W. Newman, N. Guritno, and P. J. Hofer. Comparison of the cholesterol-lowering properties of whole barley, oat bran, and wheat red dog in chicks and rats, 240
- Ng, P. K. W. *See* L. Gao, 452
- \_\_\_\_\_. *See* A. Kawka, 92
- Nip, W. K. *See* J.-L. Jane, 528
- Nishibori, S., and S. Kawakishi. Effect of various sugars on the quality of baked cookies, 160
- Nishio, K. *See* K. Hosomi, 89
- Norris, K. H. *See* S. R. Delwiche, 107
- \_\_\_\_\_. *See* D. C. Slaughter, 428
- Nussinovitch, A., M. S. Steffens, and P. Chinachoti. NOTE: Elastic properties of bread crumb, 678
- \_\_\_\_\_. *See* P. A. Rao, 613
- O'Brien, L. *See* P. W. Gras, 254
- Oliver, J. R., A. B. Blakeney, and H. M. Allen. Measurement of flour color in color space parameters, 546
- Paszczynska, B. *See* Z. Czuchajowska, 516
- Paukstelis, J. V. *See* H. Lim, 382, 387
- Paulsen, M. R. *See* A. J. Peplinski, 397
- Peleg, M. *See* S. Swyngedau, 217
- Pelkonen, K. *See* Y. Mälkki, 647
- Peplinski, A. J., M. R. Paulsen, and A. Bouzaher. Physical, chemical, and dry-milling properties of corn of varying density and breakage susceptibility, 397
- Peterson, R. E., and W. J. Wolf. NOTE: Enhancement of high-performance liquid chromatography of soybean proteins by addition of sodium dodecyl sulfate, 101
- Pitt, R. E. *See* S. R. Delwiche, 107
- Pollak, L. *See* Y.-J. Wang, 328
- Pomeranz, Y. *See* K. Addo, 6
- \_\_\_\_\_. *See* Z. Czuchajowska, 413, 516
- \_\_\_\_\_. *See* H. M. Hsieh, 244
- \_\_\_\_\_. *See* G. L. Rubenthaler, 334
- \_\_\_\_\_. *See* J. Szczodrak, 419, 626
- Ponte, J. G., Jr. *See* A. Xu, 495, 502
- Posner, E. S. *See* G. S. Ranhotra, 75
- Preston, K. R., O. M. Lukow, and B. Morgan. Analysis of relationships between flour quality properties and protein fractions in a world wheat collection, 560
- Puhr, D. P., and B. L. D'Appolonia. Effect of baking absorption on bread yield, crumb moisture, and crumb water activity, 582
- Radosavljevic, M. *See* J.-L. Jane, 405
- Raeker, M. J., C. J. Bern, L. A. Johnson, and B. A. Glatz. Preservation of high-moisture maize by various propionate treatments, 66
- Ranhotra, G. S., J. A. Gelroth, and B. K. Glaser. Lipidemic response in rats fed flaxseed or sunflower oils, 623
- \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, and E. S. Posner. Total and soluble fiber content of air-classified white flour from hard and soft wheats, 75
- Rao, C. S. *See* W. J. Lim, 233
- Rao, P. A., A. Nussinovitch, and P. Chinachoti. Effects of selected surfactants on amylopectin recrystallization and on recoverability of bread crumb during storage, 613
- Roach, R. R., C. S. Lai, and R. C. Hosoney. Effect of certain salts on bread loaf volume and on soluble nitrogen of wheat flour and nonfat dry milk slurries, 574
- \_\_\_\_\_. *See* H. He, 366
- Robert, P. *See* D. Bertrand, 257

- Rodriguez, T. See B. R. Hamaker, 461
- Rom, D. L., J. M. Shull, A. Chandrashekar, and A. W. Kirleis. Effects of cooking and treatment with sodium bisulfite on in vitro protein digestibility and microstructure of sorghum flour, 178
- Rooney, L. W. See M. H. Gomez, 275
- \_\_\_\_\_. See S. O. Serna-Saldivar, 78
- \_\_\_\_\_. See N. E. Vivas, 673
- Ruan, R., and J. B. Litchfield. Determination of water distribution and mobility inside maize kernels during steeping using magnetic resonance imaging, 13
- \_\_\_\_\_, \_\_\_\_\_, and S. R. Eckhoff. Simultaneous and nondestructive measurement of transient moisture profiles and structural changes in corn kernels during steeping using microscopic nuclear magnetic resonance imaging, 600
- Rubenthaler, G. L., Y. Pomeranz, and M. L. Huang. Steamed bread. IV. Negative steamer-spring of strong flours, 334
- Sai Manohar, R., and P. Haridas Rao. Use of a penetrometer for measuring rheological characteristics of biscuit dough, 619
- Sanchez-Marroquin, A. See F. R. Del Valle, 156
- Saunders, R. M. See T. S. Kahlon, 485
- Sayre, R. N. See T. S. Kahlon, 485
- Scheromm, P., G. Martin, A. Bergoin, and J.-C. Autran. Influence of nitrogen fertilization on the potential bread-baking quality of two wheat cultivars differing in their responses to increasing nitrogen supplies, 664
- Schreuder, C. See H. J. Van Lonkhuijsen, 174
- Schwartz, S. J. See S. E. Case, 401
- Schwartzberg, H. G. See P. J. Wu, 567
- Sears, R. G. See H. Dong, 132
- Sehgal, S. See P. Gahlawat, 463
- Seib, P. A. See T. Inagaki, 321
- \_\_\_\_\_. See J.-L. Jane, 405
- \_\_\_\_\_. See W. J. Lim, 233, 237
- Sekhon, K. S., N. Singh, and R. P. Singh. Studies on the improvement of quality of wheat infected with Karnal bunt. I. Milling, rheological, and baking properties, 50
- \_\_\_\_\_. See N. Singh, 55
- Serna-Saldivar, S. O., L. W. Rooney, and L. W. Greene. Effects of lime treatment on the bioavailability of calcium in diets of tortillas and beans: Bone and plasma composition in rats, 78
- Setser, C. S. See A. M. Frye, 338
- \_\_\_\_\_. See S. S. Kim, 447
- \_\_\_\_\_. See H. Lim, 382, 387
- Shelke, K., R. C. Hoseney, J. M. Faubion, and S. P. Curran. Age-related changes in the cake-baking quality of flour milled from freshly harvested soft wheat, 141
- \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_. Age-related changes in the properties of batters made from flour milled from freshly harvested soft wheat, 145
- Shelton, D. R. See J. Chen, 475, 481
- Shen, L. See J.-L. Jane, 96, 280, 528
- Shibanuma, K. See A. Suzuki, 309
- Shogren, M. D. See H. Dong, 132
- Shull, J. M. See D. L. Rom, 178
- Siebmorgen, T. J. See S. B. Andrews, 35
- Sinda, E. See K. Autio, 409
- Singh, N., K. S. Sekhon, A. K. Srivastava, and P. P. Gupta. Studies on the improvement of quality of wheat infected with Karnal bunt. II. Nutritional and biological effects, 55
- \_\_\_\_\_. See K. S. Sekhon, 50
- Singh, R. P. See K. S. Sekhon, 50
- Skerritt, J. H., and A. S. Hill. NOTE: How "free" is "gluten free"? Relationship between Kjeldahl nitrogen values and gluten protein content for wheat starches, 110
- Slaughter, D. C., K. H. Norris, and W. R. Hruschka. Quality and classification of hard red wheat, 428
- Sobczynska, D. See H. Lim, 382
- Srivastava, A. K. See N. Singh, 55
- Stanley, K. D. See M. E. Carr, 70
- Steffens, M. S. See A. Nussinovitch, 678
- Steinberg, M. P. See A. H. Mistry, 433
- Stringfellow, A. C. See Y. V. Wu, 188
- Strong III, F. C., and A. M. A. Duarte. A room-temperature, rapid method for the determination of protein in wheat and other grains by the biuret reaction, 659
- Suortti, T. See Y. Mälkki, 647
- Suzuki, A., M. Kaneyama, K. Shibanuma, Y. Takeda, J. Abe, and S. Hizukuri. Characterization of lotus starch, 309
- Swanson, B. G. See H. M. Hsieh, 244
- Swyngedau, S., and M. Peleg. Characterization and prediction of the compressive stress-strain relationship of layered arrays of spongy baked goods, 217
- Symons, S. J., and J. E. Dexter. Estimation of milling efficiency: Prediction of flour refinement by the measurement of pericarp fluorescence, 137
- Szczodrak, J., Z. Czuchajowska, and Y. Pomeranz. Characterization and estimation of barley polysaccharides by near-infrared spectroscopy. II. Estimation of total  $\beta$ -D-glucans, 419
- \_\_\_\_\_, and Y. Pomeranz. Starch-lipid interactions and formation of resistant starch in high-amylose barley, 626
- \_\_\_\_\_. See Z. Czuchajowska, 413
- Takeda, Y. See A. Suzuki, 309
- Talbert, L. E. See S. P. Lanning, 349
- Tester, R. F., and W. R. Morrison. Swelling and gelatinization of cereal starches. III. Some properties of waxy and normal nonwaxy barley starches, 654
- Tkachuk, R. See G. S. Chauhan, 85
- Törrönen, A., M. Leisola, and S. Haarasilta. Inhibition of rye  $\alpha$ -amylase activity by barley  $\alpha$ -amylase inhibitor, 355
- Törrönen, R. See Y. Mälkki, 647
- Trägårdh, C. See K. Mani, 222
- Tribelhorn, R. See K. Delost-Lewis, 359
- Umbach, S. L., E. A. Davis, J. Gordon, and P. T. Callaghan. Water self-diffusion coefficients and dielectric properties determined for starch-gluten-water mixtures heated by microwave and by conventional methods, 637
- Valdivia, R. See B. R. Hamaker, 461
- Valles, C. See B. R. Hamaker, 461
- Van Lonkhuijsen, H. J., R. J. Hamer, and C. Schreuder. Influence of specific gliadins on the breadmaking quality of wheat, 174
- Vivas, N. E., R. D. Waniska, and L. W. Rooney. NOTE: Effects on proteins in sorghum, maize, and pearl millet when processed into acidic and basic T<sub>0</sub>, 673
- Vollmar, A., and F. Meuser. Influence of starter cultures consisting of lactic acid bacteria and yeasts on the performance of a continuous sourdough fermenter, 20
- Walker, C. E. See C. S. Kim, 206, 212
- \_\_\_\_\_. See C. E. Lang, 587
- \_\_\_\_\_. See A. Li, 681
- \_\_\_\_\_. See A. R. Wooding, 249
- \_\_\_\_\_. See Y. Yin, 592
- Wang, C., and L. A. Johnson. Wet-milling characteristics of propionate-treated high-moisture maize. I. Yields and compositions of products, 43
- \_\_\_\_\_, and \_\_\_\_\_. Wet-milling characteristics of propionate-treated high-moisture maize. II. Qualities of starch and gluten, 47
- Wang, L. See J.-L. Jane, 280
- Wang, Y.-J., P. White, and L. Pollak. Thermal and gelling properties of maize mutants from the OH43 inbred line, 328
- Waniska, R. D. See M. H. Gomez, 275
- \_\_\_\_\_. See N. E. Vivas, 673
- Watanabe, K. See S. Aibara, 465
- Werner, W. E., A. E. Adalsteins, and D. D. Kasarda. Composition of high-molecular-weight glutenin subunit dimers formed by partial reduction of residue glutenin, 535
- White, N. D. G., D. S. Jayas, J. T. Mills, and B. L. Dronzek. Effects of canola oil or white mineral oil at dust suppressant levels on the storage characteristics of wheat, 182
- White, P. J. See S. M. Hartunian Sowa, 521
- \_\_\_\_\_. See H. S. Lim, 262
- \_\_\_\_\_. See Y.-J. Wang, 328
- Wilson, C. M. NOTE: Zeins in sweet corn (*sugary-1*), 113
- Wolf, W. J. See R. E. Peterson, 101
- Wooding, A. R., and C. E. Walker. Comparison of alternative recording mechanisms (mobile vs. fixed-bowl) for the 35- and 10-gram mixographs, 249
- Wu, P. J., and H. G. Schwartzberg. Popping behavior and zein coating of popcorn, 567
- Wu, Y. V. Corn hardness as related to yield and particle size of fractions from a micro hammer-cutter mill, 343
- \_\_\_\_\_, and A. C. Stringfellow. Air classification of flours from wheats with varying hardness: Protein shifts, 188
- Xu, A., O. K. Chung, and J. G. Ponte, Jr. Bread crumb amylograph studies. I. Effects of storage time, shortening, flour lipids, and surfactants, 495
- \_\_\_\_\_, J. G. Ponte, Jr., and O. K. Chung. Bread crumb amylograph studies. II. Cause of unique properties, 502
- \_\_\_\_\_. See J.-L. Jane, 405
- Yin, Y., and C. E. Walker. Pentosans from gluten-washing wastewater: Isolation, characterizations, and role in baking, 592
- Yoon, K. J. See M. E. Barr, 70
- Yoshikawa, S. See M. Ito, 325